

**STANDENS**  
AN IMT COMPANY™

REVISED EDITION



2015 LIGHT-DUTY SPRING  
**APPLICATION GUIDE**



AVAILABILITY | PERFORMANCE | EXCEPTIONAL DURABILITY

**SILVERADO/SIERRA CLASSIC C/K1500/2500/3500 (2WD)(4WD)**

**1999-2014**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
**	22-1221	2-1/2	32	32	RB250b	RB172b	2/1	1500	6-7/8	1/401 1/423 1/750
**	22-1271	2-1/2	32	32	RB250b	RB172b	2/1	1500	7-1/4	1/401 1/423 1/702
0	22-1671	2-1/2	32	32	RB-319b	RB-318b	UB/2/1	1500	7-1/2	1/401 1/447 1/770 2013
0	22-1567	2-1/2	32	32	RB-319b	RB-318b	2/1	1600	7-1/2	1/423 1/447 1/827 use 22-1489
0	22-1729	2-1/2	32	32	RB-352b	RB-351b	2/1	1600	7-1/4	1/423 1/447 1/812 use 22-1489
**	22-1489	2-1/2	32	32	RB-319b	RB-318b	2/1	1900	7-7/16	2/447 1/840 2007-2013
**	22-1221HD	2-1/2	32	32	RB250b	RB172b	3/1	1950	6-1/2	3/401 1/770
**	22-1363	2-1/2	32	32	RB250b	RB172b	4/1/pd	2025	6-3/8	1/401 1/423 2/341 1/938PD/1,1
**	22-1269	2-1/2	32	32	RB250b	RB172b	4/1	2100	6-1/2	1/401 2/360 1/380 1/938
**	22-1289	2-1/2	32	32	RB250b	RB172b	5/1	2235	7-1/4	1/423 1/380 1/323 2/341 1/1,063
**	22-1289HD	2-1/2	32	32	RB250b	RB172b	5/1	2800	7-1/4	5/447 1/999
***	22-1269HD	2-1/2	32	32	RB250b	RB172b	7/1	3300	5-3/4	7/401 1/999
N	22-1271-02-RPL	2-1/2	25-1/2	25-1/2						1/401 replacement or buildup
N	22-1489-02-RPL	2-2/2	27	27						1/447 replacement or buildup

\* Standen's substitutes RB319 with RB250 and RB318 with RB172

**SILVERADO/SIERRA/AVALANCHE C/K2500HD/3500HD**

**2011-2014**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
N	22-1649	3	28-3/4	34-1/8	RB339b	RB340b	UB/4/1	2700	6-3/4	1/401 1/360 1/323 1/401 1/1.125
N	22-1649HD	3	28-3/4	34-1/8	RB339b	RB340b	UB/5/1	3300	6-3/4	2/401 1/360 1/323 1/401 1/1.125
0	22-1689	3	28-3/4	34-1/8	RB339b	RB340	UB/4/1	2700	6-3/4	1/401 1/360 1/323 1/401 1/1.12
0	22-1699	3	28-3/4	34-1/8	RB339b	RB340	3/1	2350	6-5/8	1/447 1/341 1/447 1/999 3500HD DUAL W
0	22-1705	3	28-3/4	34-1/8	RB339b	RB340	4/1	2350	6-3/4	1/401 1/323 1/360 1/401 1/815 3500HD

**HELPER - C3500HD**

**2011-2014**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
0	22-1701	3	18-1/4	20-1/2			2		2-3/8	2/447 DUAL WHEEL
0	22-1701	3	18-1/4	20-1/2			2		3	2/380

**SILVERADO/SIERRA C/K3500HD (CAB ONLY)**

**2011-2013**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
N	22-1653	3	32	32	RB339b	RB340b	UB/7	4100	3-5/8	3/499 3/473 1/447
N	22-1653HD	3	32	32	RB339b	RB340b	UB/9	5700	3-5/8	

**SILVERADO/SIERRA CLASSIC 1500 (2WD)(4WD)  
C/K2500 C/K 3500 (2WD)(4WD)**

**1988-1999**

**1988-1998**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
**	22-793	2-1/2	32	32	RB172b	RB172b	3/1	1425	7-3/4	1/380 2/360 1/744
**	22-795	2-1/2	32	32	RB172b	RB172b	4/1	2025	7-3/4	1/360 3/341 1/941
**	22-1183	2-1/2	32	32	RB172b	RB172b	5/1	2235	7-3/4	4/360 1/341 1/999
**	22-797	2-1/2	32	32	RB172b	RB172b	5/1	2250	6-1/2	5/360 1/999
**	22-797HD	2-1/2	32	32	RB172b	RB172b	6/1	2700	6-1/8	6/360 1/999
**	22-797XHD	2-1/2	32	32	RB172b	RB172b	7/1	3150	6-1/8	7/360 1/999

**HELPER - SILVERADO/SIERRA C/K3500**

**1988-2011**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
**	22-1497	2-1/2	24-1/4	25			1	350	4	1/527 FT
**	22-801	2-1/2	25	25			1/ PD	575	4-3/8	1/675 PD/788 FT
**	CO287	2-1/2	24-5/8	24-5/8			4	1150	4-1/2	4/323
**	22-855	2-1/2	25-7/8	25-7/8			3/ PD	1210	3-11/16	3/447 PD/ 820
**	22-1185	2-1/2	25-7/8	25-7/8			3	1650	4	2/527 1/447
*	CO288	2-1/2	24-1/2	26			5	1750	4-1/2	5/360

\* Popular \*\* Very Popular \*\*\* Most Popular N = New Number 0 = Not yet Available

**C3500HD REAR**

1991-2002

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-1009	3	28	28	RB218b	RB219b	4/1	3345	4-5/8	3/473 1/447 1/558
22-873	3	28	28	RB218b	RB219b	5	3345	4-5/8	use 22-1009
* 22-1009HD	3	28	28	RB218b	RB219b	4/1	3625	4-5/8	4/499 1/558
22-873HD-499	3	28	28	RB218b	RB219b	4/1	3625	4-5/8	4/499 1/558

**HELPER - C3500HD**

1991-2002

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-875	3	22-3/4	22-3/4			5	2400	3	1/401 3/360

**C10/1500 R10/1500 (2WD)**

1973-1987

**C20/2500 R20/2500 (2WD)**

1973-1989

**C30/3500 R30/3500 (2WD)**

1973-1991

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-605	2-1/2	26	30	RB117b	RB117b	5/1	1825	7-1/2	5/291 1/710
22-459	2-1/2	26	30	RB136b	RB117b	7/1	1950	7-1/4	1/291 6/262 1/702
22-615	2-1/2	26	30	RB136b	RB117b	6/1	2080	6-1/4	4/323 2/291 1/760
22-607	2-1/2	26	30	RB136b	RB117b	7/1	2250	6-1/2	1/323 6/291 1/827
* 22-547	2-1/2	26	30	RB136b	RB117b	8/1	2600	6-1/4	3/323 5/291 1/770
* 22-547HD	2-1/2	26	30	RB136b	RB117b	8/1	3500	5-1/2	8/360 1/770
22-757	2-1/2	26	30	RB136	RB136	9/1	3955	4	9/360 1/770
* 22-617	2-1/2	26	30	RB136	RB136	9/1	3955	4	9/360 1/770
22-617HD	2-1/2	26	30	RB136	RB136	9/1	4500	4-1/2	9/401 1/999

**K/V1500 (4WD) K/V2500 (4WD)**

1973-1987

**K/V3500 (4WD)**

1973-1991

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-553	2-1/2	26	26	RB117b	RB117b	5/1	1875	5-7/8	1/323 2/291 2/262 1/720
22-627	2-1/2	26	26	RB117b	RB117b	4/1	2150	5-1/4	1/360 3/323 1/675
22-579	2-1/2	26	26	RB117b	RB117b	5/1	2200	5-1/4	3/323 2/291 1/675
22-483	2-1/2	26	26	RB117b	RB117b	5/1	2350	4	5/323 1/625
** 22-403	2-1/2	26	26	RB117b	RB117b	5/1	2350	6-3/4	5/323 1/625
22-485	2-1/2	26	26	RB117b	RB117b	6/1	2775	4-3/4	4/323 2/291 1/812
22-611	2-1/2	26	30	RB136b	RB117b	7/1	2450	5-3/4	4/323 3/291 1/825
* 22-547	2-1/2	26	30	RB136b	RB117b	8/1	2600	6-1/4	3/323 5/291 1/770
22-547HD	2-1/2	26	30	RB136b	RB117b	8/1	3500	6-1/4	8/360 1/770
22-757	2-1/2	26	30	RB136	RB136	9/1	3955	4	9/360 1/770
* 22-617	2-1/2	26	30	RB136	RB136	9/1	3955	4	9/360 1/770
22-617HD	2-1/2	26	30	RB136	RB136	9/1	4500	3-3/4	3/101 6/360 1/788

**HELPERS C3500 K3500 R3500 V3500 (2WD)(4WD)**

1969-2010

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-433	2-1/2	20-1/2	20-1/2			1	1050	2-1/4	1/625 FT
* 22-467	2-1/2	20-3/4	22-1/2			1/ PD	1050	3-7/8	1/625 PD/770
* 22-531	2-1/2	20-3/4	22-1/2			1/ PD	1050	3-7/8	1/625 PD/788
1730A9	2-1/2	20-3/4	22-1/2			4	1300	4/1/2	4/323
CO287	2-1/2	24-5/8	24-5/8			4	1150	4-1/2	4/323
* CO288	2-1/2	24-1/2	26			5	1750	4-1/2	5/360
* CO136	2-1/2	20-3/4	20-3/4			5	1550		5/323 same as 22-531-5
* CO138	2-1/2	20-3/4	22-1/2			5	1425		5/323

\* Popular \*\* Very Popular \*\*\* Most Popular N = New Number 0 = Not yet Available  
ver: 2015.03.17

**K1500/2500 C1500/2500 (2WD)(4WD) REAR**

1969-1972

This truck was available with coil spring or leaf spring rear

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-525	2-1/2	26	26	RB117b	RB117b	3/1	1290	7-3/4	1/323 2/291 1/625
** 22-613	2-1/2	26	26	RB117b	RB117b	4/1	1950	7-1/2	1/323 3/291 1/675
* 22-403	2-1/2	26	26	RB117b	RB117b	5/1	2350	6-3/4	5/323 1/625
* 22-419	2-1/2	26	26	RB117b	RB117b	6/1	3390	6-5/8	5/360 1/323 1/702

**BLAZER / JIMMY / ENVOY (2WD)(4WD) FULLSIZE**

1992-1994

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-1149	2-1/2	27	27	RB172b	RB172b	4/1	1550	5-5/8	1/323 3/291 1/499
** 22-1151	2-1/2	27	27	RB172b	RB172b	4/1	1650	6-1/2	3/323 1/307 1/558
** 22-909	2-1/2	27	27	RB172b	RB172b	4/1	1750	6-1/8	1/341 3/323 1/702

**BLAZER / JIMMY (4WD) FULL SIZE**

1969-1991

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
** 22-483	2-1/2	26	26	RB117b	RB117b	5/1	2350	4	5/323 1/625
** 22-403	2-1/2	26	26	RB117b	RB117b	5/1	2350	6-3/4	5/323 1/625

**BLAZER / JIMMY / ENVOY (2WD)(4WD)  
OLDS BRAVADA**

1995-2005

1995-2004

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
** 22-1325	2-1/2	24-1/2	27-1/2	RB231	RB172	3/1	1200	8-1/8	3/291 1/375
** 22-1013	2-1/2	24-1/2	27-1/2	RB231	RB172	3/1	1300	7-1/4	2/307 1/291 1/375
* 22-1223	2-1/2	24-1/2	27-1/2	RB231	RB172	3/1	1300	6-3/4	2/323 1/291 1/375
** 22-1017	2-1/2	24-1/2	27-1/2	RB231	RB172	3/1	1400	6-7/8	1/323 2/307 1/447

**S10, S15 SONOMA ZR2 PICKUP**

1995-2004

**ISUZU HOMBRE**

1996-2003

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-1137	2-1/2	26	28	RB231b	RB117b	2/1	995	5-1/2	1/323 1/341 1/490
* 22-1327	2-1/2	26	28	RB231b	RB117b	2/1	995	6	1/323 1/341 1/499
22-1261	2-1/2	26	28	RB231b	RB117b	2/1	995	7-1/4	1/323 1/341 1/499
* 22-1329	2-1/2	26	28	RB231b	RB117b	3/1	1200	7-1/2	1/312 1/323 1/312 1/447
** 22-1225	2-1/2	26	28	RB231b	RB117b	3/1	1350	8-9-16	3/307 1/499
22-1139	2-1/2	25-13/32	28-19/32	RB231b	RB117b	3/1	1200	8-7/8	3/291 1/567 ZR2
22-1265	2-1/2	25-13/32	28-19/32	RB231b	RB117b	3/1	1200	9-1/2	2/291 1/307 1/527 ZR2

**S10/S15 BLAZER JIMMY PICKUP - DOWNSIZED  
OLDS BRAVADA**

1982-1994

1991-1994

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-859	2-1/2	26	28	RB117b	RB117b	2/1	1100	6	2/360 1/490
22-635	2-1/2	26	28	RB117b	RB117b	3/1	1200	7-1/2	3/276 1/620
22-735	2-1/2	26	28	RB117b	RB117b	3/1	1200	8-1/2	3/276 1/620
** 22-687	2-1/2	26	28	RB117b	RB117b	3/1	1350	7-1/2	3/307 1/525

**SUBURBAN/YUKON XL 2500 (2WD)(4WD)**

2000-2012

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
** 22-1277	2-1/2	30	30	RB250b	RB172b	4/1	2500	5-1/2	1/380 1/401 2/423 1/938

**SUBURBAN 1500 2500 (2WD)(4WD)**

1992-1999

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-905	2-1/2	30	30	RB172b	RB172b	4/1	2200	6-5/8	1/360 2/401 1/360 1/788
* 22-907	2-1/2	30	30	RB172b	RB172b	5/1	2760	5-3/4	4/401 1/360 1/999
* 22-907HD	2-1/2	30	30	RB172b	RB172b	7/1	3760	6	7/401 1/1.06

**SUBURBAN 1500,2500 (2WD)**

1989-1991

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-811	2-1/2	26	30	RB172b	RB172b	4/1	1800	7-1/8	4/323 1/770

**SUBURBAN 1500,2500 (2WD)**

1973-1988

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-605	2-1/2	26	30	RB117b	RB117b	5/1	1825	7-1/2	5/291 1/710
22-459	2-1/2	26	30	RB136b	RB117b	7/1	1950	7-1/4	1/291 6/262 1/702
22-607	2-1/2	26	30	RB136b	RB117b	7/1	2250	6-1/2	1/3223 6/291 1/827
22-611	2-1/2	26	30	RB136b	RB117b	7/1	2450	5-3/4	4/323 3/291 1/825
* 22-547	2-1/2	26	30	RB136b	RB117b	8/1	2600	6-1/4	3/323 5/291 1/770
22-547HD	2-1/2	26	30	RB136b	RB117b	8/1	3500	5-1/2	8/360 1/770

**SUBURBAN 1500,2500 (2WD) LIGHT DUTY**

1973-1974

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-525	2-1/2	26	26	RB117b	RB117b	3/1	1290	7-3/4	1/323 2/291 1/625
22-613	2-1/2	26	26	RB117b	RB117b	4/1	1950	7-1/2	1/323 3/291 1/675

**SUBURBAN 2500 (4WD)**

1980-1991

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-611	2-1/2	26	30	RB136b	RB117b	7/1	2450	5-3/4	4/323 3/291 1/875
* 22-547	2-1/2	26	30	RB136b	RB117b	8/1	2600	6-1/4	3/323 5/291 1/770
22-547HD	2-1/2	26	30	RB136b	RB117b	8/1	3500	5-1/2	8/360 1/770

**SUBURBAN 1500, (4WD)**

1969-1988

**SUBURBAN 2500 (4WD)**

1973-1979

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-553	2-1/2	26	26	RB117b	RB117b	5/1	1875	5-7/8	1/323 2/291 2/262 1/720
22-627	2-1/2	26	26	RB117b	RB117b	4/1	2150	5-1/4	1/360 3/323 1/675
22-579	2-1/2	26	26	RB117b	RB117b	5/1	2200	5-1/4	3/323 2/291 1/675
** 22-403	2-1/2	26	26	RB117b	RB117b	5/1	2350	6-3/4	5/323 1/625
22-485	2-1/2	26	26	RB117b	RB117b	6/1	2775	4-3/4	4/323 2/291 1/812

**GMC SAVANA/EXPRESS G1500/2500/3500**

1996-2014

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
0	22-1475	2-1/2	30	30	RB172b	RB172b	3	1500	5-7/8	1/380 1/447 1/590 2003-14
	22-1165	2-1/2	30	30	RB172b	RB172b	4	1700	6-1/2	1/360 1/401 1/380 1/567
	22-1167	2-1/2	30	30	RB172b	RB172b	3/1	2240	6-1/2	1/380 1/401 1/423 1/941 2010-14
0	22-1685	2-1/2	30	30	RB172b	RB172b	3/1	2240	6-1/2	1/380 1/401 1/423 1/941 sub 22-1167
**	22-1169	2-1/2	30	30	RB172b	RB172b	4/1	2485	6	3/380 1/360 1/999 2011-14
0	22-1677	2-1/2	30	30	RB172b	RB172b	4/1	2485	6	3/380 1/360 1/999 sub 22-1169
	22-1171	2-1/2	30	30	RB172	RB172	3	3190	3-3/4	3/840 FT
	22-1253	2-1/2	30	30	RB172	RB172	3/PD	3540	3-1/2	3/840 1/2.375 FT
	22-1483	2-1/2	30	30	RB172	RB172	7	3710	3-7/8	7/499 2/447
0	22-1523	2-1/2	30	30	RB172	RB172	8	3710	4-1/2	4/473 2/499 2/483 sub 22-1257
	22-1257	2-1/2	30	30	RB172	RB172	9	3710	3-3/4	1/473 6/499 2/473
**	22-1175	2-1/2	30	30	RB172	RB172	3	3710	3-3/4	3/840 FT
	22-1175-HD	2-1/2	30	30	RB172	RB172	4	4960	3-3/4	4/840 FT
*	22-1175-BU	2-1/2	29-1/2	29-1/2			1	1250	4-1/2	1/840 FT

**G10/1500 G20/2500**

1992-1995

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-1029	2-1/4	26	28	RB130r	RB206r	4/1	1300	4-1/2	4/360 1/600

**G30/3500**

1992-1995

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-901	2-1/2	28	28	RB172b	RB172b	5/1	2850	6-5/8	5/423 1/744

**G10/1500 G20/2500 G30/3500**

1972-1991

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-593	2-1/4	24	28	RB130	RB120	4/1	1500	6	2/323 2/291 1/715
22-447	2-1/4	24	28	RB130	RB120	4/1	1600	4-3/4	4/323 1/675
22-699	2-1/4	24	28	RB130	RB120	4/1	1650	4-7/8	3/360 1/323 1/599
22-449	2-1/4	24	28	RB130	RB120	5/1	2100	5-3/8	3/360 2/323 1/675
22-709	2-1/4	24	28	RB136	RB120	7/1	3000	3-1/8	3/360 2/323 2/360 1/780
22-577	2-1/4	24	28	RB130	RB120	5/1	2100	4-1/4	3/360 2/323 1/675

**G30/3500**

1972-1991

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-719	2-1/4	26	28	RB130	RB120	7/1	3000	5	1/360 3/323 3/291 1/760

**G30/3500**

1973-1991

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-857	2-1/2	28	28	RB136b	RB117b	6/1	3280	7-1/4	6/341 1/744
22-551	2-1/2	28	28	RB136b	RB117b	7/1	3600	5-3/4	3/360 4/323 1/744
*	22-597	2-1/2	28	RB136b	RB117b	7/1	3600	7-7/8	3/360 4/323 1/744
*	22-597HD	2-1/2	28	RB136b	RB117b	7/1	4400	6-3/4	7/401 1/770

**G4500/G5500**

2009-2011

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION	
0	22-1611	2-1/2	30	30	RB329	RB172	9	4000	4	1/558 6/527 2/499 (25857996)
0	22-1679	2-1/2	30	30	RB329	RB329	9	4000	4	1/558 6/527 2/499 (22799637)

\* Popular \*\* Very Popular \*\*\* Most Popular N = New Number 0 = Not yet Available  
ver: 2015.03.17



**P10/1500 P20/2500 P30/3500**

1973-1999

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-525	2-1/2	26	26	RB117b	RB117b	3/1	1290	7-3/4	1/323 2/291 1/625
** 22-403	2-1/2	26	26	RB117b	RB117b	5/1	2350	6-3/4	5/323 1/625
* 22-489	2-1/2	26	26	RB117b	RB117b	6/1	2775	6-1/4	4/323 2/291 1/788
22-493	2-1/2	26	26	RB117b	RB117b	6/1	2775	6-1/4	4/323 2/291 1/750
22-761	2-1/2	26	26	RB117b	RB117b	7/1	3390	6-5/8	7/323 1/675
* 22-499	2-1/2	26	26	RB117b	RB117b	7/1	3390	6-1/4	7/323 1/675
22-943	2-1/2	26	26	RB117	RB117	8/1	3760	4-1/2	1/375 5/360 2/341 1/770

**P20/2500 P30/3500 except 11k axle**

1969-1972

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
** 22-403	2-1/2	26	26	RB117b	RB117b	5/1	2350	6-3/4	5/323 1/625
* 22-419	2-1/2	26	26	RB117b	RB117b	6/1	3390	6-5/8	5/360 1/323 1/702
* 22-499	2-1/2	26	26	RB117b	RB117b	7/1	3390	6-1/4	7/323 1/675

**P30/3500**

1991-1999

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-911	2-1/2	26	26	RB129	RB129	7	2200	3-1/2	7/360
22-517	2-1/2	26	26	RB129	RB129	10/1	3760	2-3/8	10/360 1/770
* 22-603	2-1/2	26	26	RB129	RB129	10/1	3760	4-1/4	10/360 1/770
22-603HD	2-1/2	26	26	RB129	RB129	10/1	4500	4-1/4	10/401 1/999
** 22-1007	2-1/2	26	26	RB129	RB129	10/1	3760	4	10/360 1/770 W/JF9 disc brakes

**P30/3500**

1993-1999

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-937	2-1/2	26	31	RB129	RB129	4/2PD	3955	5-1/8	4/625 2PD/323 FT

**P30/3500**

1977-1992

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-583	2-1/2	26	30	RB129	RB129	9/1	3955	4-7/8	9/360 1/770

**P20/2500 P30/3500 HELPERS**

1973-1999

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-989	2-1/2	19-5/8	19-5/8			1	1050	2-1/2	1/625 FT
22-433	2-1/2	20-1/2	20-1/2			1	1050	2-1/4	1/625 FT

**P30/3500 MOTORHOME 21-22,500GVW REAR**

1998-1999

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-827	3	29-13/16	29-13/16	RB191b	RB191b	2/1/PD	6750	4-5/8	2/999 1/812 PD/1.300 FT
22-831-02	3	31-3/4	31-3/4			1	1500	2-5/16	1/999 FT buildup leaf
22-835-02	3	31-3/4	31-3/4			1	1500	4-9/16	1/999 FT buildup leaf

**ASTRO/SAFARI**

1995-2005

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-1259	2-1/2	26	28	RB172d	RB172b	3	915	5	1/323 1/291 1/447
** 22-1195	2-1/2	26	28	RB255d	RB255b	3/1	1410	3-1/8	1/360 1/341 1/323 1/558
22-1195-HD	2-1/2	26	28	RB255d	RB255b	3/1	1800	3-1/8	3/401 1/590

**ASTRO/SAFARI (replaces fiberglass springs)**

1985-1994

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-1001	3	26	29	RB155b	1.500" B	3/1	1325	4-5/8	3/323 1/499
22-1001K	3	26	29	RB155b	1.500" B	3/1	1325	4-5/8	Kit 2 springs with attach kit

**COLORADO CANYON ISUZU I-280 I-350 2WD**

2004-2011

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-1417	2-1/2	26	26	RB172b	RB172b	3/1	1200	3-3/4	1/276 1/307 1/262 1/527
22-1449	2-1/2	26	26	RB172b	RB172b	3/1	1200	5-3/4	1/276 1/291 1/262 1/499
** 22-1271	2-1/2	26	26	RB172b	RB172b	3/1	1200	7-3/8	3/291 1/473 2010-11 2WD

**COLORADO CANYON (4WD)**

2004-2012

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-1419	2/1/2	26	26	RB172b	RB172b	3/1	1200	7-1/4	2/276 1/249 1/499
0 22-1629	2/1/2	26	26	RB172b	RB172b	3/1	1200	7	3/276 1/499 2011-12
0 22-1569	2/1/2	26	26	RB172b	RB172b	3/1	1200	7-1/4	2/276 1/237 1/499 2008-12

**HUMMER H3**

2006-2010

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-1613	2-1/2	23-3/4	28-3/4	RB231d	RB172	4/1	1600	7-1/2	4/291 1/447
22-1615	2-1/2	23-3/4	28-3/4	RB231d	RB172	4/1	1600	8-1/4	3/291 1/276 1/447 use 22-1613
22-1635	2-1/2	23-3/4	28-3/4	RB231d	RB172	4/1	1600	7-1/2	4/291 1/447 use 22-1613
22-1485	2-1/2	23-3/4	28-3/4	RB231d	RB172	4/1	1600	8-1/8	3/291 1/276 1/447 use 22-1613

**TAHOE/YUKON (2WD)(4WD)CADILAC ESCALADE**

1995-2000

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
** 22-909	2-1/2	27	27	RB172b	RB172b	4/1	1750	6-1/8	1/341 3/323 1/702
22-1149	2-1/2	27	27	RB172b	RB172b	4/1	1550	5-5/8	1/323 3/291 1/499
22-1151	2-1/2	27	27	RB172b	RB172b	4/1	1650	6-1/2	3/323 1/307 1/558



**C3500HD FRONT**
**1991-2002**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-492	2-1/2	28-1/2	28-1/2	RB172b	RB172b	2	1600	3-5/8	2/675 FT

**K10/1500 K20/2500 (4WD) FRONT**
**1967-1972**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-382	2-1/2	22	22	RB98	1-1/8	2	900	5/8	2/492 FT
22-384	2-1/2	22	22	RB98	1-1/8b	3	1110	3/4	3/447 FT

**V30/3500 (4WD) FRONT**
**1988-1991**
**1500/2500 trucks use torsion bar front**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-462	2-3/4	23-1/2	23-1/2	RB98	RB98	2	1200	2	2/441 FT
22-464	2-3/4	23-1/2	23-1/2	RB98	RB98	3	1400	1-1/8	3/441 FT
22-402-03	2-3/4	23-1/8	23-3/4			1	500	1-1/8	1/441 FT buildup leaf

**K1500/2500/3500 V/1500/2500/3500 (4WD) FRONT**
**1973-1987**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-408	2-3/4	23-1/2	23-1/2	RB98	1-1/8	2	1030	2-7/8	2/401 FT
22-400	2-3/4	23-1/2	23-1/2	RB98	1-1/8	2	1200	2	2/441 FT
* 22-402	2-3/4	23-1/2	23-1/2	RB98	1-1/8	3	1400	1-1/8	3/441 FT
* 22-402-4L	2-3/4	23-1/2	23-1/2	RB98	1-1/8	4	1900	1-1/8	4/441 FT
* 22-402-03	2-3/4	23-1/8	23-3/4			1	500	1-1/8	1/441 FT buildup leaf

**BLAZER / JIMMY SUBURBAN (4WD) FRONT**
**1988-1991**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-462	2-3/4	23-1/2	23-1/2	RB98	RB98	2	1200	2	2/441 FT
22-464	2-3/4	23-1/2	23-1/2	RB98	RB98	3	1400	1-1/8	3/441 FT

**BLAZER / JIMMY SUBURBAN (4WD) FRONT**
**1973-1987**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-402	2-3/4	23-1/2	23-1/2	RB98	1-1/8	3	1400	1-1/8	3/441 FT
* 22-402-4L	2-3/4	23-1/2	23-1/2	RB98	1-1/8	4	1900	1-1/8	4/441 FT
* 22-402-03	2-3/4	23-1/8	23-3/4			1	500	1-1/8	1/441 FT buildup leaf

**SUBURBAN 1500,2500 (4WD) FRONT**
**1988-1991**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-462	2-3/4	23-1/2	23-1/2	RB98	RB98	2	1200	2	2/441 FT
22-464	2-3/4	23-1/2	23-1/2	RB98	RB98	3	1400	1-1/8	3/441 FT

**SUBURBAN 1500,2500 (4WD) FRONT**
**1973-1987**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
** 22-402	2-3/4	23-1/2	23-1/2	RB98	1-1/8	3	1400	1-1/8	3/441 FT
* 22-402-4L	2-3/4	23-1/2	23-1/2	RB98	1-1/8	4	1900	1-1/8	4/441 FT
* 22-402-03	2-3/4	23-1/8	23-3/4			1	500	1-1/8	1/441 FT buildup leaf

**SUBURBAN 1500,2500 (4WD) FRONT**
**1967-1972**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
22-382	2-1/2	22	22	RB98	1-1/8	2	900	5/8	2/492 FT
22-384	2-1/2	22	22	RB98	1-1/8	3	1110	3/4	3/447 FT

**CUTLASS/GRANDPRIX/LUMINA (replaces mono leaf)**

1988-1997

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 21-2068	2-1/2	26-3/4	26-3/4			3		7-5/8	3/323

**P10/1500 P20/2500 P30/3500 FRONT**

1985-1999

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
** 22-442	2-1/2	29	29	RB117	RB117	8/1	2190	7-1/8	5/307 3/291 1/657

**P30/3500 MOTORHOME 21-22,500GVW FRONT**

1998-1999

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 22-594	3-1/2	35-1/8	35-1/8	RB190b	RB190b	2	4050	4-1/2	2/917 FT

**RAM 1500 (2WD)(4WD) CB + DOWELL PIN**

**2002-2009**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
*** 34-1451	2-1/2	31-1/4	32	RB272b	RB271	3/1	1700	7-1/2	3/375 1/662
*** 34-1451HD	2-1/2	31-1/4	32	RB272b	RB271	4/1	2200	7-1/2	1/401 3/360 1/788

\* Standen's substitutes RB272 bushings with RB231 and RB271 with RB172

**RAM 2500 3500 (2WD)(4WD) - 2 CENTER BOLTS**

**2010-2014**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 34-1633	3	30-1/2	30-1/2	RB337b	RB273	3/1/3PD	2800	6-5/8	2/447 1/423 1/940 3/380 USE 34-1465 WITH RB227
* 34-1633HD	3	30-1/2	30-1/2	RB337b	RB273	4/1/3PD	3300	6-5/8	2/447 1/423 1/940 3/380 USE 34-1465HD WITH RB227
0 34-1659	3	30-1/2	30-1/2	RB337b	RB273	3/1/3PD	2800	6-5/8	2/447 1/423 1/940 3/380
0 34-1647	3	30-1/2	30-1/2	RB337b	RB273	3/1/3PD	2800	6-5/8	2/447 1/423 1/940 3/380 USE 34-1465 WITH RB227

RB337 = 18mm/.71 in. bolt RB273= 16mm/5/8 in. bolt

34-1633,34-1633HD,34-1647 - can be replaced using 34-1465 or 34-1465HD and replacing berlin eye bushing with RB227

**RAM 2500 3500 (2WD)(4WD) - 2 CENTER BOLTS 64"**

**2003-2009**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 34-1455	3	30-1/2	30-1/2	RB273b	RB273	4/1/2PD	2600	6-1/4	3/380 1/360 1/812 2PD/590
* 34-1465	3	30-1/2	30-1/2	RB273b	RB273	3/1/2PD	2800	6-5/8	2/447 1/423 1/941 2PD/590
** 34-1465HD	3	30-1/2	30-1/2	RB273b	RB273	4/1/PD	3300	6-5/8	4/447 1/941 PD/1,000

**RAM 2500 3500 MEGA CAB (2WD)( 4WD) - 2 CB**

**2006-2008**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
0 34-1589	3	30-1/2	30-1/2	RB320b	RB273	3/1	3300	7	2/447 1/423 1/938 sub 34-1465HD in prs.

**RAM 2500 3500 (2WD) - 2 CENTER BOLTS 62"**

**2003-2009**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-1459	3	28-1/2	30-1/2	RB273b	RB273	3/1/2PD	2100	5-1/4	3/423 1/788 2PD/590

**RAM 4500 5500 CHASSIS CAB-(Sterling) 2 CB**

**2007-2010**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-1549	3	28-1/2	30-1/2	RB218	RB273	5/4	5200	3-5/8	2/558 6/499 1/375
* 34-1549HD	3	28-1/2	30-1/2	RB218	RB273	5/4	8000	3-5/8	5/625 3/499 1/375
0 34-1537	3	28-1/2	30-1/2	RB273	RB273	8/2PD	4500	6-1/4	1/499 4/423 3/401 1/262 1/323
0 34-1543	3	28-1/2	30-1/2	RB310	RB273	4/4	4600	4-1/2	2/558 2/499 1/473 1/423 2/401
0 34-1621	3	28-1/2	30-1/2	RB310	RB273	5/3/3PD	4750	3-3/4	1/558 1/527 1/558 1/527 1/447 3/499

**HELPERS RAM 2500 AND 3500 (2WD)(4WD)**

**2003-2009**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-1551	3	17-1/4	17-1/4			2/PD	1100	2-3/4	2/401 PD/499
* 34-1461	3	17-1/4	17-1/4			2	1300	3-1/2	2/447 PD/527 FT

**RAM 1500 (2WD)**

**1994-2001**

**RAM 2500 (2WD) Under 8,800 lb GVW**

**1994-2002**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-1327	2-1/2	28-1/4	31-3/4	RB224b	RB224r	3/1	1780	7-11/16	1/323 2/360 1/662
0 34-1337	2-1/2	27-7/8	32-1/8	RB224b	RB224r	3/1	1705	6-15/16	1/341 1/360 1/662
0 34-1329	2-1/2	28-1/4	31-3/4	RB224b	RB224r	4/1	2105	6-11/16	3/341 1/360 1/710

\* Standen's substitutes RB224 with RB136

**RAM 2500 3500 (2WD) 8,800 lb and over GVW**

1994-2002

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 34-1335	3	28-1/4	31-3/4	RB213b	RB213r	3/1	3050	6-5/16	1/401 2/423 1/788
34-1345	3	27-7/8	32-1/8	RB213b	RB213r	6	2830	4-7/16	1/401 1/423 4/447
* 34-1345HD	3	27-7/8	32-1/8	RB213b	RB213r	8	4000	4	8/447

\* Standen's substitutes RB213 + RB214 with RB158

**RAM 1500 2500 (4WD) Under 8,800 lb GVW**

1994-2002

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
** 34-1339	2-1/2	27-7/8	32-1/8	RB224b	RB224r	4/1	2025	6-7/16	1/341 2/360 1/341 1/702
34-1339HD	2-1/2	27-7/8	32-1/8	RB224b	RB224r	5/1	2600	6-7/16	5/360 1/770
34-1313	2-1/2	27-7/8	32-1/8	RB215b	RB216r	4/1	2025	6-7/16	1/341 2/360 1/341 1/702
* 34-1315	3	27-7/8	32-1/8	RB213b	RB214r	3/1	2470	6	1/360 2/401 1/702

\* Standen's substitutes RB213 + RB214 with RB158

\* Standen's substitutes RB224 with RB136

**RAM 2500 3500 (4WD) 8,800 lb and over GVW**

1994-2002

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-1341	3	27-7/8	32-1/8	RB213b	RB213r	3/1	2470	6	1/360 2/401 1/702
** 34-1343	3	27-7/8	32-1/8	RB213b	RB213r	3/1	2860	5-11/16	2/401 1/423 1/788
34-1345	3	27-7/8	32-1/8	RB213b	RB213	6	2830	4-7/16	1/401 1/423 4/447 sub 34-1305
34-1305	3	27-7/8	32-1/8	RB213b	RB214	6	2830	4-1/2	5/447 1/401
* 34-1345HD	3	27-7/8	32-1/8	RB213b	RB213	8	4000	4	8/447

\* Standen's substitutes RB213 + RB214 with RB158

**HELPER RAM 2500 3500 (2WD)(4WD)**

1994-2002

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-1321	3	19-13/16	21-7/8			1	575	3-15/16	1/401 FT
34-1369	3	19-3/4	21-7/8			2	1150	4-7/8	2/401 FT
* D1000	3	19-1/2	21-1/2			4	1500	3-3/8	4/323
D1200	3	19-1/2	21-11/16			5	2000	5-15/16	5/323

**RAM D100 D150**

1972-1993

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-163	2-1/2	24	28	RB57b	RB57r	4/1	1650	6-1/4	2/291 2/262 1/558
34-075	2-1/2	24	28	RB57b	RB57r	3/1	1700	7-1/8	3/291 1/558

**D100 D150 D300 D350**

1972-1993

**W100 W150 W200 W250 W300 W350**

1972-1993

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-183	2-1/2	24	28	RB81b	RB81r	4/1	1700	6	3/291 1/262 1/558
34-151	2-1/2	24	28	RB81b	RB81r	5	2200	2-1/2	5/401
34-173	2-1/2	24	28	RB81b	RB81r	5/1	2500	5-5/8	2/323 3/291 1/625

**RAM D200/250/300/350/400 W200/250/300/350/400**

1972-1993

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-175	2-1/2	24	28	RB58b	RB58r	5/1	2500	5-5/8	2/323 3/291 1/625
34-153	2-1/2	24	28	RB58b	RB58r	6/1	3250	4-3/4	3/341 3/323 1/662
34-251	2-1/2	24	28	RB58b	RB58r	10	3400	1-5/8	7/401 3/360

\* Popular \*\* Very Popular \*\*\* Most Popular N = New Number 0 = Not yet Available

**HELPER D100 D150 D300 D350**

1972-1993

**HELPER W100 W150 W200 W250 W300 W350**

1972-1993

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
DH169	2-1/2	19	22-1/2			4	1200		4/323

**DODGE RAM VAN B150 B250 B350**

1998-2003

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 34-1375	2-1/2	23	30-1/2	RB143b	RB257	3/1	1600	6	3/323 1/660 sub 34-1375-RB111
34-1375-RB111	2-1/2	23	30-1/2	RB111	RB111	3/1	1600	6	3/323 1/660
34-1377	2-1/2	23	30-1/2	RB143b	RB257	4/1	2100	6	2/307 2/323 1/702

**DODGE - RAM VAN B100/150/200/250/300/350**

1970-1997

**DODGE - MOTORHOME MB200 MB300 MB400**

1970-1997

**DODGE - CHASSIS BODY CB300 CB400**

1970-1997

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-207	2-1/2	23	31	RB143b	STD/1	3/1	1600	7	3/323 1/625
34-053	2-1/2	23	31	RB91B	STD/1	4/1	1750	4	4/341 1/558
34-191	2-1/2	23	31	RB143b	STD/1	4/1	1800	6-1/4	1/323 3/307 1/625
34-055	2-1/2	23	31	RB91B	STD/1	5/1	2300	4-1/2	5/341 1/625
34-219	2-1/2	23	30-1/2	RB143b	STD/1	5/1	2500	6-3/8	3/323 2/307 1/625
34-213	2-1/2	23	30-1/2	RB60b	STD/1	5/1	2500	6	3/323 2/307 1/625
34-121	2-1/2	23	30-3/4	RB60b	RB58	6/1	2750	4-1/4	6/341 1/675
34-105	2-1/2	23	30-3/4	RB60b	RB58	6/1	2750	5-3/4	6/341 1/662
34-123	2-1/2	23	30-3/4	RB60b	RB58	6/1	3250	5-1/8	3/360 3/341 1/662
34-201	2-1/2	23	30-1/2	RB60b	RB58	7	3400	5-1/8	7/423

**DAKOTA (2WD)(4WD) MITSUBISHI RAIDER**

2005-2011

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-1503	2-1/2	24-1/8	30-7/8	RB272b	RB240r	3/1	1800	7-1/4	3/291 1/558
34-1501	2-1/2	24-1/8	30-7/8	RB272b	RB240r	4/1	2200	7-1/8	2/291 2/276 1/499

**DAKOTA (2WD)(4WD)**

1999-2004

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 34-1421	2-1/2	24	32	RB257b	RB257r	5	1200	7	2/291 2/276 1/237
34-1425	2-1/2	24	32	RB257b	RB257r	3/1	1800	6-3/4	1/323 2/307 1/590
34-1479	2-1/2	24	32	RB257b	RB257r	3/1	1800	8-3/8	1/323 2/307 1/590
* 34-1427	2-1/2	24	32	RB257b	RB257r	3/1	2500	5-7/8	1/323 1/341 1/323 1/702

**DAKOTA (2WD)(4WD)**

1997-1998

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-1349	2-1/2	24	32	RB240b	RB241r	5	1100	6-1/2	4/291 1/237
34-1359	2-1/2	24	32	RB240b	RB241r	3/1	1800	7-5/16	1/323 2/307 1/590

**DAKOTA (2WD)(4WD )**

1986-1996

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-263	2-1/2	24	32	RB57b	RB57r	3/1	2550	5-3/4	2/360 1/341 1/662

**DURANGO (2WD)(4WD)**

1998-2003

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
34-1481	2-1/2	24	32	RB257r	RB257	5	1800	6-5/8	5/307
34-1405	2-1/2	24	32	RB257r	RB257	5	1800	7-1/2	5/307

\* Popular \*\* Very Popular \*\*\* Most Popular N = New Number 0 = Not yet Available  
ver: 2015.03.17

**CARAVAN / VOYAGER (HB889)**

1984-1995

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
33-373	2-1/2	24-1/2	27-1/2	STD/1	RB171b	PD/4	950	7-5/8	PD/262 3/262 1/237
33-385	2-1/2	24-1/2	27-1/2	STD/1	RB171b	PD/4/1	1430	5	PD/250 1/276 3/262 1/662

**GRAND CARAVAN/ GRAND VOYAGER (HB889)**

1984-1995

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
33-389	2-1/2	26-5/8	29-5/8	STD/1	RB171	PD/3/1	1325	7-1/2	PD/262 3/291 1/558

**SPRINTER 2500 AND 3500 FRONT**

2002-2006

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 46-1712	3-15/16	51-1/8		Rubber	Rubber	2		5-7/8	2/527 FT rubber insulators on ends

**SPRINTER 2500 AND 3500 REAR**

2007-2013

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 46-1421	2-3/4 (70)	29-1/4	29-7/16	RB278	RB279	2/1		5	1/15 1/17 1/21
0 46-1425	2-3/4 (70)	29-1/8	29-3/4	RB321b	RB321b	1		4-1/8	1/26 FT
0 46-1427	2-3/4 (70)	29-1/8	29-7/8	RB321b	RB321b	1/1		5	1/19 1/23 FT

**SPRINTER 3500 REAR MODEL 5T**

2006-2013

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
0 46-1433	2-3/4 (70)	29-1/8	29-1/2	RB278	RB279	2		1-3/4	2/28 FT

**SPRINTER 2500 AND 3500 REAR**

2002-2006

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 46-1339	2-3/4 (70)	29-1/4	29-3/8	RB277r	RB277b	1		5-5/8	1/25 FT
* 46-1339HD	2-3/4 (70)	29-1/4	29-3/8	RB277r	RB277b	1		5-1/8	1/28 FT
* 46-1343	2-3/4 (70)	29-1/4	29-7/16	RB278b	RB279b	2/1		5-13/16	1/12 1/15 1/28 FT
* 46-1343HD	2-3/4 (70)	29-1/4	29-7/16	RB278b	RB279b	3/1		5-7/8	1/13 2/18 1/28
* 46-1343BU	2-3/4 (70)	29-1/4	29-7/16			1		5-13/16	1/18 (.709") (34-1509BU)

**RAM W100 W150 W200 W300 W350**

1992-1993

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 34-768	2-1/2	24	24	RB57	RB57r	3	1750	1-3/8	2/473 1/447
34-798	2-1/2	24	24	RB81	RB57r	6	1900	1	6/360
34-774	2-1/2	24	24	RB57	RB57r	6	1900	1-1/4	6/360



**F150 (2WD)(4WD) - 2 CENTER BOLTS**

**2009-2014**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
N	43-1781	3	31-5/8	31-5/8	RB275b	RB326b	2/1	1500	7-7/8	UBP 2/401 1/812
**	43-1787	3	31-1/2	31-5/8	RB275b	RB326b	3/1	1500	7-1/4	UBP 1/380 1/360 1/341 1/812
*	43-1787HD	3	31-1/2	31-5/8	RB275b	RB326b	4/1	1800	6-15/16	UBP 2/380 2/341 1/812
0	43-1917	3	31-1/2	31-5/8	RB275	RB326	3/1	1500	7-7/8	3/360 1/812
0	43-1931	3	31-1/2	31-5/8	RB275	RB326	3/1	1500	7-7/8	3/360 1/812
0	43-1933	3	31-1/2	31-5/8	RB275	RB326	3/1	1800	7-7/8	3/360 1/812
0	43-1945	3	31-5/8	31-5/8	RB275b	RB326b	2/1	1500	7-5/8	2/401 1/812 SUB 43-1781
0	43-1919	3	31-5/8	31-5/8	RB275b	RB326b	2/1	1500	7-5/8	2/401 1/812 SUB 43-1781
0	43-1947	3	31-5/8	31-5/8	RB275b	RB326b	2/1	1500	6-1/2	2/401 1/625
0	43-1949	3	31-1/2	31-1/2	RB275b	RB326b	2/1/PD	1600	7	1/401 1/423 1/815 1/360
0	43-1943	3	31-5/8	31-5/8	RB275b	RB326b	2/1	1800	7-5/8	UBP 2/401 1/812 SUB 43-1781
0	43-1953	3	31-5/8	31-5/8	RB275b	RB326b	2/1	1500	7-5/8	2/401 1/812 SUB 43-1781
0	43-1941	3	31-1/2	31-1/2	RB275b	RB326b	2/1/PD	1600	7	1/401 1/423 1/815 1/360

\* Standen's substitutes RB275 + RB326 WITH RB135 + RB133

**F150 (2WD)(4WD) - 2 CENTER BOLTS**

**2004-2008**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
***	43-1679	3	25-5/8	31-3/8	RB275b	RB276b	2/1	1500	7-1/4	2/375 1/662
	43-1551	3	25-5/8	31-3/8	RB275b	RB276b	3/1	1500	7-1/4	2/323 1/341 1/662 sub 43-1359
*	43-1361	3	25-5/8	31-3/8	RB275b	RB276b	3/1	1500	7-13/16	1/323 1/341 1/323 1/662
***	43-1359	3	25-5/8	31-3/8	RB135b	RB133b	3/1	1700	7-3/4	1/323 1/341 1/323 1/662
	43-1553	3	25-5/8	31-3/8	RB275b	RB276b	3/1	1700	7-3/4	1/323 1/341 1/323 1/662 sub 43-1359
***	43-1555	3	25-5/8	31-3/8	RB275b	RB276b	3/1	1900	7-5/8	2/360 1/341 1/662
*	43-1361HD	3	25-5/8	31-3/8	RB275b	RB276b	4/1	2150	7-13/16	3/341 1/662

\* Standen's substitutes RB275 + RB276 WITH RB135 + RB133

except on 43-1361 + 43-1361HD RB275 + RB276 are subbed by RB198 + RB133

**F150 F250 (2WD)(4WD)**

**1997-2004**

**F150 SUPERCREW (2WD)(4WD)**

**2001-2004**

(under 8500GVW, 7 stud wheel, new body style)

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
	43-1293	2-1/2	26-3/8	32-1/8	RB235b	RB236b	2/1	1250	9-1/8	2/341 1/499
**	43-1297	2-1/2	26-3/8	32-1/8	RB235b	RB236b	2/1	1375	9-1/4	1/360 1/380 1/558
**	43-1199	2-1/2	26-3/8	32-1/8	RB235b	RB236b	3/1	1415	8-9/16	3/323 1/590
	43-1185	2-1/2	26-3/8	32-1/8	RB235b	RB236b	2/1	1435	7-15/16	1/360 1/401 1/558
	43-1351	2-1/2	26-3/8	32-1/8	RB235b	RB236b	3/1/WG	1500	8-3/4	2/323 1/341 1/625 WG ( 2WD )
	43-1353	2-1/2	26-3/8	32-1/8	RB235b	RB236b	3/1	1600	10-5/16	3/323 1/625 ( 4WD )
	43-1233	2-1/2	26-3/8	32-1/8	RB235b	RB236b	3/1	1790	8-1/2	1/323 2/341 1/625
	43-1229	2-1/2	26-3/8	32-1/8	RB235b	RB236b	3/1	1800	7-11/16	3/323 1/625
**	43-1231	2-1/2	26-3/8	32-1/8	RB235b	RB236b	3/1	1900	8-5/8	3/323 1/625
**	43-1199HD	2-1/2	26-3/8	32-1/8	RB235b	RB236b	4/1	2000	7-7/8	1/360 3/323 1/710

\* Popular \*\* Very Popular \*\*\* Most Popular N = New Number 0 = Not yet Available

ver: 2015.03.17

**F250SD F350SD (2WD)(4WD)**

**2008-2014**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
*	43-1855	3	33-1/4	33-1/4	RB310b	RB309b	2/1	2700	7	2/499 1/812
*	43-1849	3	33-1/4	33-1/4	RB310b	RB309b	2/1	2700	7-1/8	2/499 1/940 2WD
0	43-1853	3	33-1/4	33-1/4	RB310b	RB309b	2/1	2700	7	1/499 1/527 1/812
*	43-1705	3	33-1/4	33-1/4	RB310b	RB309b	3/1	3750	6-1/4	3/499 1/940
0	43-1959	3	33-1/4	33-1/4	RB310b	RB309b	3/1	3750	6-1/4	2/499 1/473 1/887 4WD DUAL WH.
0	43-1867	3	33-1/8	33-1/8	RB310b	RB309b	3/1	3750	6-3/8	3/447 1/912
0	43-1959	3	33-1/4	33-1/4	RB310b	RB309b	3/1	3750	6-1/4	2/499 1/473 1/887 F250SD 2013
N	43-1681	3	33-1/4	33-1/4	RB310b	RB309b	4/1	3000	6	1/423 3/401 1/887
**	43-1685	3	33-1/4	33-1/4	RB310b	RB309b	4/1	3000	6-1/4	1/423 3/401 1/938
*	43-1685HD	3	33-1/4	33-1/4	RB310b	RB309b	4/1	3275	6-1/4	4/447 1/938
**	43-1685XHD	3	33-1/4	33-1/4	RB310b	RB309b	5/1	3950	6-1/4	5/447 1/938

\* Standen's substitutes RB310 + RB309 with RB218 + RB219

**F250SD F350SD (2WD)(4WD)**

**1999-2007**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
***	43-1261	3	25	33-1/8	RB245	RB244	4/1	2500	7-7/8	2/360 2/323 1/748
***	43-1261-HD	3	25	33-1/8	RB245	RB244	5/1	3000	7-7/8	3/360 2/323 1/748
*	43-1517	3	25	33-1/4	RB245	RB244	4/1	3000	6-3/4	1/380 3/341 1/788
***	43-1263	3	25	33-1/4	RB245	RB244	4/1	3000	8-3/16	1/360 3/341 1/827
***	43-1263-HD	3	25	33-1/4	RB245	RB244	6/1	4400	7	6/401 1/812
	43-1267	3	25-1/2	30-1/4	RB245	RB244	10	3000	6-1/8	2/360 8/323
	43-1605	3	25-1/2	30-1/4	RB245	RB244	9	3000	5-5/8	1/401 2/360 6/307 single wheel
*	43-1327	3	25-1/2	30-1/4	RB245	RB244	11	3625	5-1/16	1/423 1/401 9/341
	43-1265	3	25-1/2	30-1/4	RB245	RB244	11	3625	5-3/8	1/423 1/401 9/341 sub 43-1327
0	43-1699	3	25-1/2	30-1/4	RB310	RB244	11	4000	4-5/8	1/473 1/423 3/360 3/341 3/323 DUAL WHEEL
*	43-1265HD	3	25-1/2	30-1/4	RB245	RB244	11	4900	4-3/4	1/423 4/401 6/341

**HELPER F250SD F350SD F450SD (2WD)(4WD)**

**1999-2014**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
***	F350SD	3	19	21			5	1500	6	5/323
***	43-1291	3	21	22-1/4			1	750	5-1/2	1/625 FT
*	43-1279	3	20-5/8	21-1/8			1	525	4-3/16	1/473 FT
0	43-1961	3	20-1/2	21-1/4			1	715	3-3/4	1/590 FT use 43-1291
0	43-1869	3	20-1/2	21			1	700	3-3/4	1/558 FT use 43-1291
0	43-1749	3	21	22-1/4			1	715	5-9/16	1/590 FT use 43-1291

**F150 (4WD) F250 (2WD)(4WD)  
F350 (2WD)(4WD)**

1980-1996

1980-1997

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 43-723	3	25	31	RB158b	RB157b	3/1	1655	8	1/291 1/323 1/291 1/590
43-1101	3	25	31	RB158b	RB157b	3/1	1655	8-1/2	1/291 1/323 1/291 1/590
* 43-1225	3	25	31-3/8	RB158b	RB157b	3/1/PD	2700	8	3/360 1/702 PD/291
43-881	3	25	32	RB158b	RB157b	3/1	1650	8-7/8	3/291 1/590
** 43-689	3	25	32	RB158b	RB157b	3/1	1700	9-1/4	2/323 1/291 1/625
43-839	3	25	32	RB158b	RB157b	3/1	1950	8-7/8	2/323 1/307 1/662
43-965	3	25	32-1/2	RB158b	RB157b	3/1	1655	9-1/8	3/291 1/662
43-691	3	25	31	RB158b	RB157b	4/1	2075	8-1/2	1/307 3/291 1/625
43-693	3	25	31-13/16	RB158b	RB157b	4/1	2320	8-1/2	1/323 3/307 1/700
43-1055	3	25	32-1/4	RB158b	RB157b	4/1	2400	8-11/16	2/307 2/291 1/702
** 43-803	3	25	31	RB158b	RB157b	4/1	2810	6-7/8	4/360 1/788
** 43-695	3	25	31-3/8	RB158b	RB157b	4/1	2450	8-3/8	4/323 1/662
N 43-1121	3	25	31-3/8	RB158b	RB157b	4/1	2700	7-3/4	4/323 1/702
43-879	3	25	31-3/8	RB158b	RB157b	4/1	2700	7-3/4	4/323 1/702
43-699	3	25	31	RB158b	RB157b	4/1	2810	5-1/8	1/423 3/360 1/744
43-701	3	25	31	RB158b	RB157b	5/1	2975	4-1/4	1/447 1/401 3/360 1/788

\* Standen's substitutes RB157with RB152

**F250 F350 HELPERS**

1980-1997

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
** F250S	3	20-1/2	20-1/2			4	1575	3-1/4	4/323

**F100 F150 (2WD)**

1980-1996

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-709	2-1/2	25	31	RB159b	RB160b	3/1	1350	8	2/307 1/323 1/625
* 43-711	2-1/2	25	31	RB159b	RB160b	4/1	1850	7-3/8	2/307 2/323 1/625
43-891	2-1/2	25	32	RB159b	RB160b	4/1	1375	9-1/8	4/276 1/590
* 43-883	2-1/2	25	32	RB159b	RB160b	4/1	1655	8-7/8	4/291 1/590

\* Standen's substitutes RB160 with RB131

**F100 F150 (2WD)**

1982-1985

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-775	2-1/2	25	31	RB159b	1-1/4 b	3/1	1235	7-7/8	1/291 2/307 1/625
* 43-777	2-1/2	25	31	RB159b	1-1/4 b	3/1	1350	8	2/323 1/291 1/625
43-767	2-1/2	25	31	RB159b	1-1/4 b	4/1	1640	8-3/8	3/307 1/291 1/625
43-771	2-1/2	25	31	RB159b	1-1/4 b	4/1	1655	7	1/291 3/307 1/625

**F100 F150 (2WD)**

1973-1979

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-559	2-1/2	24	31-1/2	RB131b	RB131b	4/1	1450	7-5/8	4/291 1/662

**F150 F250 F350 (4WD)**

1973-1979

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-567	3	24	31-1/2	RB132b	RB133b	4/1	1650	7-5/8	2/291 2/262 1/625
43-569	3	24	31-1/2	RB132b	RB133b	4/1	1950	7-1/2	2/291 2/276 1/662
* 43-571	3	24	31-1/2	RB132b	RB133b	4/1	2450	6-7/8	4/307 1/662

\* Popular \*\* Very Popular \*\*\* Most Popular N = New Number 0 = Not yet Available

ver: 2015.03.17

**F250 F350 (2WD) F250 (4WD)**

1973-1979

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-485	2-1/4	26	26	RB101b	RB101	6/3	2400	8-1/8	4/291 2/262 3/401
43-469	2-1/4	26	26	RB70	RB70	10	3200	5	4/401 6/360

**F SUPERDUTY REAR (CAB/CHASSIS NOT F250/350)**

1988-1997

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-901	3	25-1/8	30-5/8	RB177b	RB178b	8	4350	5-1/4	8/423

**F SERIES HELPERS**

1988-1997

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-903	3	20-3/4	20-3/4			6/PD	1350	3-7/8	6/249 PD/875

**F350 CAB/CHASSIS**

1980-1997

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-721	2-1/4	26	26	RB156b	RB156b	10	3225	5-1/4	4/401 6/360
* 43-809	2-1/4	26	26	RB156b	RB156b	10	3225	5-3/4	4/401 6/360
43-809HD	2-1/4	26	26	RB156b	RB156b	10	3925	5-3/4	4/447 6/401
43-721-HD	2-1/4	26	26	RB156	RB156	12	4500	4-3/4	12/401

**HELPERS F250 F350**

1973-1997

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-731	2-1/4	20-3/4	20-3/4			4	800	3-3/4	4/291
* FH535	2-1/4	20-3/4	20-3/4			4	1350	4-7/8	4/360
FH57	2-1/4	19	19			4	1500	4-7/8	4/360
*** F250S	3	20-1/2	20-1/2			4	1575	3-1/4	4/323

**F450SD F550SD (2WD)(4WD)**

1999-2013

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
N 43-1747	3	25-1/16	30-3/4	RB243	RB244	10	5900	5-1/2	1/527, 6/423, 3/401 use 43-1289
N 43-1747-HD	3	25-1/16	30-3/4	RB243	RB244	10	8000	5-1/8	4/588 6/499 use 43-1289-HD
* 43-1285	3	25	30-1/2	RB243	RB244	10	4375	6-5/16	1/423 5/401 4/360
** 43-1289	3	25	30-1/2	RB243	RB244	10	5900	5-1/8	2/473 5/423 3/401
* 43-1285HD-447	3	25	30-1/2	RB243	RB244	10	6250	6-1/4	10/447
** 43-1289-HD	3	25	30-1/2	RB243	RB244	10	8000	5-1/8	4/558 6/499
0 43-1803	3	25	30-5/8	RB331	RB244	9/2PD	5900	4-3/4	2/558 3/423 6/401 2011-13 F550 141"wb
0 43-1717	3	33-1/8	33-5/16	RB309	RB312	2/1	3400	7-5/8	2/590 1/999 2008-2010

**E250 E350 E250SD E350SD**

**1992-2014**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
*	43-1153	3	23-7/8	31	RB198b	RB157b	3/1	2350	3-7/8	3/360 1/662
0	43-1667	3	23-7/8	31	RB198b	RB157b	3/1	2350	4	1/341 2/360 1/660
	43-1795	3	24	31	RB198b	RB157b	3/1	2350	4-1/2	2/360 1/380 1/625 2010+
	43-1797	3	24	31	RB198b	RB157b	3/1	2775	4-5/8	1/360 1/401 1/360 1/662 2010+
**	43-1157	3	23-7/8	31	RB198b	RB157b	3/1	2775	4-13/16	1/360 1/401 1/360 1/660
*	43-1037	3	23-7/8	31	RB198b	RB157b	4/1	2350	3-3/16	2/307 2/341 1/702
	43-1039	3	23-7/8	31	RB198b	RB157b	4/1	2450	4	1/323 2/341 1/323 1/590
**	43-1041	3	23-7/8	31	RB198b	RB157b	4/1	2775	4	1/323 3/341 1/702
	43-1041-HD	3	23-7/8	31	RB198b	RB157b	6/1	3750	3-1/2	6/360 1/788
	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
	43-1043	3	23-7/8	31	RB198	RB157	4	3300	3-1/4	4/499 FT
*	43-1045	3	23-7/8	31	RB198	RB157	3	3450	2-1/2	3/625 FT
*	43-1043-BU	3	24	30-1/2			1	825	3-5/8	1/499 FT
*	43-1045-BU	3	24	30-1/2			1	1150	3	1/625 FT
***	43-1085	3	23-7/8	31	RB198	RB157	9	3460	1-7/8	5/401 4/323
**	43-1085-HD	3	23-7/8	31	RB198	RB157	10	4000	1-7/8	10/401
**	43-1085-SHD	3	23-7/8	31	RB198	RB157	10	5000	3	10/447
0	43-1793	3	23-7/8	31	RB198	RB157	9	3475	2-1/8	5/401 4/323 2008+ VANS
0	43-1763	3	23-15/16	31	RB198	RB157	9	3475	2-1/8	5/401 4/323 2008+ VANS
0	43-1769	3	23-7/8	31	RB314	RB157	9	3500	1-7/8	2/447 2/401 5/360 2008-14
0	43-1799	3	23-7/8	31	RB198	RB157	9	3500	1-3/4	2/447 2/401 5/360 2008-14

**E450SD**

**1996-2013**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
*	43-1167	3	23-7/8	34-5/8	RB198	RB157	5	5100	2-7/8	5/590 FT
*	43-1167-BU	3	23-7/8	31-7/8			1	875	2-3/4	1/590 FT
***	43-1339	3	23-7/8	34-5/8	RB198	RB157	11	5100	1-1/2	3/447 3/401 3/380 2/360
0	43-1665	3	23-7/8	34-5/8	RB198	RB157	11	5100	1-3/8	2/447 1/423 3/401 3/380 2/360
**	43-1339-HD	3	23-7/8	34-5/8	RB198	RB157	10	7200	1-1/2	10/499

**E550 SUPER DUTY**

**2002-2003**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	#LVS	CAP	ARCH	DIMENSION
**	43-1289	3	25	30-3/4	RB243	RB244	10	5900	5-1/8	2/473 5/423 3/401
*	43-1289HD	3	25	30-3/4	RB243	RB244	10	8000	5-1/8	4/558 6/499

**HELPER E450SD E550SD**

**1999-2014**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
**	43-1279	3	20-5/8	21-1/8			1	525	4-3/16	1/473 FT
***	43-1291	3	21	22-1/4			1	750	5-1/2	1/625 FT
*	43-1287	3	21	22-1/8			1	750	5-7/8	1/587 FT
**	F350SD	3	19	21			5	1500	6	5/323

**E150 VAN**

1992-2011

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-1033	2-1/2	23-7/8	31	RB207b	RB160b	3/1	1685	6-1/8	3/323 1/625

**E150 VAN**

1992-1993

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-1031	2-1/2	23-7/8	31	RB207	RB160	2	1250	5-1/2	2/499 FT

**E100 E150 VAN**

1975-1991

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-885	2-1/2	23-7/8	31	RB111	RB131	6	1250	6-1/4	6/291
43-631	2-1/2	23-7/8	31	RB124	RB131	6	1685	4-3/8	6/323
43-609	2-1/2	23-7/8	31	RB124	RB131	6	1750	3-5/8	6/341
43-599	2-1/2	24-7/8	27	RB124	RB131	7	1750	5	4/307 3/291

**E250 E350**

1975-1991

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-659	3	23-13/16	31	RB132	RB133	4	3300	4-3/4	4/505 FT
43-659-BU	3	24-7/8	30-1/2			1	750	6-11/16	1/499 FT
43-623	3	23-13/16	31	RB132	RB133	10	3235	2-1/4	10/360
43-623-HD	3	23-13/16	31	RB132	RB133	10	4000	2-1/4	10/401
43-779	3	23-13/16	31	RB132	RB133	8	3235	3-1/2	8/380
* 43-615	3	23-13/16	31	RB132	RB133	5/1	2450	4-1/2	1/323 4/307 1/744
* 43-617	3	23-13/16	31	RB132	RB133	5/1	2450	5-1/8	1/323 4/307 1/702
* 43-619	3	23-13/16	31	RB132	RB133	5/1	2900	5	3/323 2/307 1/744
43-621	3	23-13/16	31	RB132	RB133	5/1	2900	5-3/4	3/323 2/307 1/744
43-791	3	23-13/16	31	RB151	RB152	7	2850	4-1/4	3/341 4/323

**RANGER / MAZDA B SERIES**

2004-2011

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 43-1505	2-1/2	25-3/4	31	RB296b	RB297b	2/1	1100	6	2/341 1/590
* 43-1503	2-1/2	25-3/4	31	RB296b	RB297b	3/1	1200	6	1/307 2/291 1/558

\* Standen's substitutes RB296 + RB297 with RB250 + RB131

**RANGER / MAZDA B SERIES**

1983-2003

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
N 43-1057	2-1/2	25-11/16	30-15/16	RB159b	RB-131b	2/1	1100	6-13/16	1/323 1/360 1/558
** 43-1069	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/1	1100	6-13/16	1/323 1/341 1/558
* 43-969	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/1	1175	5-5/16	2/380 1/558
** 43-967	2-1/2	25-11/16	30-15/16	RB159b	RB160b	3/1	1250	4-13/16	3/360 1/590
** 43-781	2-1/2	25-5/8	31	RB159b	RB160b	3/1	1250	6	2/307 1/291 1/558
43-1395	2-1/2	25-13/16	31	RB159b	RB160b	3/1	1265	6-5/16	1/307 1/291 1/276 1/558
43-853HD-5	2-1/2	25-5/8	31	RB159b	RB131b	4/1	1500	5-7/8	1/323 3/291 1/558
43-817	2-1/2	25-5/8	31	RB159b	HB1002(2)	3/1	1350	4-5/8	3/323 1/590

**Mazda B2000 B2200 B2600 (4WD)**

1986-1993

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
63-201	2-3/8	20-13/16	26-1/2	Ber/32mm	Ber/32mm	3/1	-	4-1/2	1/7 2/6 1/12



**BRONCO**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION	
* 42-813	3	25	31	RB158b	RB157b	4/1	1650	6-5/8	2/307 2/291 1/625	1980-96
42-787	3	24	31-1/2	RB132b	RB133b	4/1	1650	7-7/8	4/276 1/625	1978-79

**BRONCO II**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION	
42-819	2-1/2	25-3/4	30-7/8	RB159b	RB160b	4	910	7-1/8	2/291 2/276	1986-89
43-945	2-1/2	25-11/16	30-15/16	RB159b	RB160b	5	1020	5-7/8	1/323 1/291 3/262	1989-90
42-821	2-1/2	25-3/4	30-7/8	RB159b	RB160b	5	1020	6-5/8	2/307 2/262 1/249	1986-89
42-817	2-1/2	25-3/4	30-7/8	RB159b	HB1002	5	1020	6-3/8	2/307 2/262 1/249	1984-85

**EXPLORER SPORT TRAC**

**2001-2002**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION	
43-1389	2-1/2	25-3/4	31	RB261b	RB160b	3/1	1200	8	1/341 1/307 1/291 1/590	

14MM 9/16" front eye bolt

**EXPLORER SPORT TRAC / MAZDA NAVAJO**

**2003-2006**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION	
43-1549	2-1/2	25-3/4	31	RB274b	RB160b	3/1	1200	8	1/341 1/307 1/291 1/590	
43-1355	2-1/2	25-3/4	31	RB274b	RB160b	3/1	1200	6-1/2	1/341 2/291 1/558	
* 43-1503	2-1/2	25-3/4	31	RB296b	RB297b	3/1	1200	6	1/307 2/291 1/558	

16mm 5/8" front eye bolt

\* Standen's substitutes RB296 + RB297 with RB250 + RB131

**EXPLORER / MERCURY MOUNTAINEER**

**1991-2001**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	#LVS	CAP	ARCH	DIMENSION	
** 43-969	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/1	1175	5-5/16	2/380 1/558	
** 43-967	2-1/2	25-11/16	30-15/16	RB159b	RB160b	3/1	1250	4-13/16	3/360 1/590	
43-1385	2-1/2	25-3/4	31	RB261b	RB160b	3/1	1200	6-1/2	1/341 2/291 1/558	
43-1161	2-1/2	25-11/16	30-15/16	RB237b	RB160b	WG/4	877	6-3/4	WG 1/307 3/276	
43-1159	2-1/2	25-11/16	30-15/16	RB237b	RB160b	3/1	1100	6-1/2	2/323 1/307 1/590	
43-1183	3	25-11/16	30-15/16	RB237b	RB160b	1/4PD	1130	4-5/8	1/590 4PD/401 FT	

**MERCURY VILLAGER/NISSAN QUEST**

**1993 -2002**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION	
0 66-335	3-1/2	25-5/8	26 3/8	RB200	1 5/16"	2	800	6-7/16	2/380 FT	

**F250 F350 (4WD) FRONT**

**1980-1997**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 43-536	3	23-7/8	28-3/8	RB155	RB155	2/PD	1960	3-1/2	1/750 1/702 PD/300 FT
* 43-476	3	23-7/8	28-3/8	RB155	RB155	2	2575	2-1/4	2/702 FT
* 43-478	3	23-7/8	28-3/8	RB155	RB155	2	2820	1-7/8	2/702 FT
43-476-BU	3	25-3/8	29-7/8			1	1300	1-1/4	1/702 FT
43-678	3	23-7/8	28-7/8	RB155	RB155	2	3486	1-7/8	2/788 FT
** 43-498	3	23-7/8	28-7/8	RB155	RB155	2	3486	1-1/4	2/788 FT
43-498HD	3	23-7/8	28-7/8	RB155	RB155	3	4000	1-1/4	3/788 FT
* 43-498BU	3	25-1/4	29-3/4			1	1300	1-1/4	1/702 FT

**F150 F250 F350 (4WD)**

**1973-1979**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-414	3	26	27-1/2	RB137B	RB102	6	1550	3-1/8	2/401 4/360
43-464	3	26	27-1/2	RB148	RB149	2	2000	2	2/630 FT

**F250SD F350SD F450SD F550SD (2WD)(4WD) FRONT**

**1999-2004**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-812	3	27-1/2	28-1/8	RB247	RB248	2	2030	4-5/8	2/590 FT
43-816	3	27-1/2	28-1/8	RB247	RB248	2	2430	5-1/8	2/625 FT
*** 43-818	3	27-1/2	28-1/8	RB247	RB248	2	2630	4-7/8	2/625 FT
* 43-818HDL	3	27-1/2	28-1/8	RB247	RB248	3	3500	3-1/2	3/625 FT
*** 43-818HD	3	27-1/2	28-1/8	RB247	RB248	3	3950	4-7/8	3/625 FT
* 43-770	3	27-1/2	28-1/8	RB247b	RB248b	2	1630	4-1/8	2/590 FT
* 43-776	3	27-1/2	28-1/8	RB247b	RB248b	2	2230	4-7/8	2/590 FT
43-768	3	27-1/2	28-1/8	RB247b	RB248b	2	2630	5-1/8	2/625 FT
** 43-776BU	3	28-3/4	29-1/2			1	750	5-3/8	1/499

**F SUPERDUTY FRONT (CAB/CHASSIS NOT F250/350)**

**1994-1997**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-630	3	23-7/8	23-3/8	RB155	RB227	2	2250	6-1/4	2/744
43-674	3	23-7/8	28-3/8	RB155	RB227	2	2250	6-1/4	2/744 FT 1994-1997
43-526-BU	3	25-3/8	29-7/8			1	1125	6-3/8	1/702 FT use 43-498BU

**F SUPERDUTY FRONT (CAB/CHASSIS NOT F250/350)**

**1988-1993**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
43-526	3	23-7/8	28-3/8	RB155	RB176	2	2250	6-1/4	2/744
43-526-BU	3	25-3/8	29-7/8			1	1125	6-3/8	1/702 FT use 43-498BU

**JEEP CHEROKEE**

**1997-2001**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
** 97-545	2-1/2	23	28-5/8	RB163	RB138	4	745	6-3/8	4/276
* 97-547	2-1/2	23	28-5/8	RB163	RB138	4	745	7	4/276

**J10 J20 CHEROKEE WAGONEER GRAND WAGONEER**

**1974-1992**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
N 97-455	2-1/2	26	31	RB145	RB85	5	930	7-1/4	2/307 3/291
* 97-491	2-1/2	26	31	RB153	RB85	5	995	6-3/8	5/307
* 97-457	2-1/2	26	31	RB145	RB85	4/1	1150	6-3/4	2/307 2/291 1/527
97-485	2-1/2	26	31	RB153	RB85	4/1	1150	6-3/4	2/307 2/291 1/527
N 97-519	2-1/2	25-1/4	31-3/4	RB145	RB85	9	2420	4-1/8	2/380 5/360 1/341 1/323
0 97-459	2-1/2	25-1/4	31-3/4	RB145	RB85	4	1165	7-1/8	1/380 3/360
0 97-517	2-1/2	25-1/4	31-3/4	RB145	RB85	6	1625	4-7/8	1/380 3/360 1/341

**CJ5/6/7/8 REAR 1" = (HB-831 1/2" BOLT )(HB-889 9/16" BOLT)**

**1976-1986**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 97-467	2-1/2	22-1/2	22-1/2	RB145B	1	5	790	5-1/8	2/249 3/237
97-469	2-1/2	22-1/2	22-1/2	RB145B	1	6/1	900	5-1/8	2/214 3/225 1/214 1/341
97-495	2-1/2	22-1/2	22-9/16	RB145B	1	5	840	5-1/8	4/249 1/225
97-481	2-1/2	22-1/2	22-9/16	RB145B	1	6/1	900	5-1/8	2/214 2/225 1/214 1/341
97-503	2-1/2	22-1/2	22-9/16	RB145B	1	6	930	6-1/8	4/237 1/225 1/214

**CJ5 CJ6 DJ5 DJ6 REAR**

**1955-1975**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
97-369	1-3/4	23	23	RB37	RB37	3/2	900	5-3/8	3/291 2/360
97-305	1-3/4	23	23	RB37	RB37	9	1000	4-1/2	9/237

**COMMANCHE REAR**

**1986-1992**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
97-555	2-1/2	26	31	RB169B	RB138B	3/1	1280	10-1/4	2/291 1/276 1/622

**WRANGLER REAR**

**1987-1996**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
97-565	2-1/2	22-11/16	22-11/16	RB170	1-1/4	5	765	5-7/8	2/237 3/225
* 97-567	2-1/2	22-11/16	22-11/16	RB170	1-1/4	6	1080	4-1/4	2/262 4/249

**J10 J20 FRONT CHEROKEE/GRAND WAGONEER**

1974-1992

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
97-360	2-1/2	22-1/2	24-1/2	RB140	RB71	2	945	6-1/4	2/438 FT
97-362	2-1/2	22-1/2	24-1/2	RB140	RB71	3	1200	5-1/8	3/447 FT
97-372	2-1/2	22-1/2	24-1/2	RB145	RB85	5	960	6-3/4	2/276 3/262
* 97-380	2-1/2	22-1/2	24-1/2	RB153	RB85	6	1045	7-3/8	2/262 4/249
97-382	2-1/2	22-1/2	24-1/2	RB153	RB85	7	1335	6-3/4	6/262 1/249

**CJ5 CJ6 CJ7 CJ8 FRONT**

1976-1986

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
97-364	2	22-1/16	22-1/16	RB144B	1(HB988)	4	640	4-7/8	2/276 2/262

**CJ5 CJ6 DJ5 DJ6 FRONT**

1955-1975

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
97-210	1-3/4	19-13/16	19-13/16	RB37	RB37	7	865	4	1/262 6/237
97-302	1-3/4	19-7/8	19-7/8	RB37	RB37	10	1130	5-1/4	10/225
97-344	1-3/4	19-7/8	19-7/8	RB142	RB142	7	775	5-1/8	7/225

**WRANGLER FRONT**

1987-1996

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 97-440	2-1/2	22-11/16	22-11/16	RB170	1-1/4	4	650	6-1/2	4/237
97-442	2-1/2	22-11/16	22-11/16	RB170	1-1/4	4	840	4-7/8	4/276

**NISSAN TITAN REAR V8 5.6L MODELS LE,SE,XE**

**2004-2014**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
N	69-263	60(2-3/8)	28-1/2	31-7/8	RB281b	RB282b	3/1	N/A	8-5/8	3/9 1/20 4WD W/O TRLR PKG
0	69-265	60(2-3/8)	28-1/2	31-7/8	RB281b	RB282b	3/1	N/A	9-7/16	3/9 1/20 4WD W/TRAILER PKG
0	69-299	60(2-3/8)	28-1/2	31-7/8	RB281b	RB282b	3/1	N/A	8-5/8	3/9 1/20 4WD W/O TRAILER PKG
0	69-301	60(2-3/8)	28-1/2	31-7/8	RB281b	RB282b	3/1	N/A	9-7/16	3/9 1/20 4WD W/TRAILER PKG
0	69-327	60(2-3/8)	28-1/2	31-7/8	RB281b	RB282b	3/1	N/A	8-3/4	3/9 1/19 4WD WO/T SB
0	69-329	60(2-3/8)	28-1/2	31-7/8	RB281b	RB282b	3/1	N/A	8-3/8	1/8.5 1/10 1/9 1/21 4WD W/T SB
0	69-331	60(2-3/8)	28-1/2	31-7/8	RB281b	RB282b	3/1	N/A	9-1/16	2/10 1/10.5 1/21 4WD W/O TOWING
0	69-261	60(2-3/8)	28-1/2	31-7/8	RB281b	RB282b	3/1	N/A	7-5/8	3/9 1/20 2WD
0	69-297	60(2-3/8)	28-1/2	31-7/8	RB281b	RB282b	3/1	N/A	7-5/8	3/9 1/20 2WD
0	69-315	60(2-3/8)	28-1/2	31-7/8	RB281b	RB282b	3/1	N/A	7-3/4	3/9 1/19 2WD SHORT BED
0	69-333	60(2-3/8)	31-7/8	36-1/4	RB281b	RB282b	3/1	N/A	9-1/16	2/10 1/10.5 1/23 4WD LONG BED
0	69-317	60(2-3/8)	31-7/8	36-1/4	RB281b	RB282b	3/1	N/A	8	2/10 1/10.5 1/21 2WD LONG BED

**NISSAN XTERRA REAR**

**2005-2014**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
**	69-293	60(2-3/8)	25	28-3/8	RB303b	M6-4033b	3/1	N/A	7-1/4	3/8 1/16 4L V6
0	69-335	60(2-3/8)	25	28-3/8	RB303b	M6-4033b	3/1	N/A	7	3/8 1/16 USE 69-293

**NISSAN XTERRA REAR**

**2000-2004**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
**	69-257	60(2-3/8)	26	27-3/8	RB201b	RB252r	3/1	N/A	8	2/7 1/8 1/16
	69-275	60(2-3/8)	25-3/4	27-1/2	RB201b	RB252r	2/1		8.5	1/8.5 1/9 1/18 3.3L V6 2002-04

\* Standens substitutes RB252 with RB192

**FRONTIER (2WD)(4WD) REAR**

**2005-2014**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
0	69-309	60(2-3/8)	26-1/4	29	RB303b	M6-4033b	3/1	N/A	4-3/8	3/8 1/18 2WD 2.5L-V4 4L-V6
0	69-289	60(2-3/8)	26-1/4	29	RB303b	M6-4033b	3/1	N/A	4-1/2	3/8 1/18 2WD 2.5L-V4 4L-V6
0	69-307	60(2-3/8)	26-1/4	29	RB303b	M6-4033b	3/1	N/A	4-3/4	3/8 1/18 2WD 2.5L-V4 4L-V6
0	69-283	60(2-3/8)	26-1/4	29	RB303b	M6-4033b	3/1	N/A	5	3/8 1/18 4WD 2.5L-V4 4L-V6
0	69-303	60(2-3/8)	26-1/4	29	RB303b	M6-4033b	3/1	N/A	5	3/8 1/18 4WD 2.5L-V4 4L-V6

**FRONTIER (2WD)(4WD) REAR**

**1998-2004**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
*	69-255	60(2-3/8)	22-1/4	25	RB252b	RB201b	2/1	N/A	6-3/8	2/7 1/16 4WD 3.3L 1999-04
**	69-277	60(2-3/8)	23-11/16	23-5/8	RB201	STD/40	2/1	N/A	7-3/8	2/7 1/16 2WD King Cab 2.4L 3.3L
	69-271	60(2-3/8)	25-5/8	27-1/2	RB201b	RB252r	2/1	N/A	5-1/8	2/10 1/16 2WD 3.3L 2002-04
	69-269	60(2-3/8)	25-3/4	27-1/2	RB201b	RB252r	2/1	N/A	7-1/2	1/8 1/9 1/18 2WD 2.4L 3.3L 2002-04

\* Standens substitutes RB252 with RB192

**ISUZU TROOPER II REAR**

**1988-1991**

	SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
*	56-147	60(2-3/8)	21-11/16	25-5/8	RB209B	30 / B	3/1		8-1/8	3/7 1/16

\* Popular \*\* Very Popular \*\*\* Most Popular N = New Number 0 = Not yet Available

**TACOMA (2WD)(4WD) + PRERUNNER (2WD)**

2005-2013

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
*** 90-297	2-3/8(60)	27-11/16	27-11/16	RB294	RB260	2/1		6-1/4	2/9 1/16 RIGHT
*** 90-299	2-3/8(60)	27-11/16	27-11/16	RB294	RB260	2/1		6-1/2	2/9 1/16 LEFT
*** 90-297HD	2-3/8(60)	27-11/16	27-11/16	RB294	RB260	3/1		5-1/2	2/9 1/16 RIGHT
*** 90-299HD	2-3/8(60)	27-11/16	27-11/16	RB294	RB260	3/1		5-3/4	2/9 1/16 LEFT

\* Standen's substitutes RB294 + RB260 with RB192 + RB192

**TACOMA (2WD ) EXTRA CAB / DBL CAB**

2005-2011

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 90-271	2-3/8(60)	27-9/16	27-9/16	RB294b	RB260b	2/1		6-5/16	1/8.5 1/10 1/15 RIGHT SIDE
* 90-273	2-3/8(60)	27-9/16	27-9/16	RB294b	RB260b	2/1		7	1/8.5 1/10 1/15 LEFT SIDE
0 90-293	2-3/8(60)	27-9/16	27-9/16	RB294b	RB260b	2/1		8	2/9 1/17 LEFT
0 90-295	2-3/8(60)	27-9/16	27-9/16	RB294b	RB260b	2/1		8-7/16	2/9 1/17 RIGHT
0 90-453	2-3/8(60)	27-9/16	27-9/16			3/1			information not available
0 90-455	2-3/8(60)	27-9/16	27-9/16			3/1			information not available

**TACOMA (2WD)(4WD) + PRERUNNER - 2WD**

2001-2004

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 90-235	2-3/8(60)	24-1/8	31-1/8	RB192	RB260b	3/1		5	1/7 1/8 1/7 1/18 RIGHT SIDE
* 90-237	2-3/8(60)	24-1/8	31-1/8	RB192	RB260b	3/1		5-7/8	1/7 1/8 1/7 1/18 LEFT SIDE

**TACOMA (2WD)(4WD)**

1995-2000

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 90-171	2-3/8(60)	22-1/2	28-5/8	RB192	RB192b	3/1WG		5	2/7 1/6 1/16 WG RIGHT/droite
* 90-173	2-3/8(60)	22-1/2	28-5/8	RB192	RB192b	3/1WG		5-5/8	2/7 1/6 1/16 WG LEFT/gauche
90-153	2-3/8(60)	22-1/2	28-3/4	RB192b	RB192b	2/1		5-9/16	1/7 1/8 1/16 RIGHT/droite
90-155	2-3/8(60)	22-1/2	28-3/4	RB192b	RB192b	2/1		5-7/8	1/7 1/8 1/16 LEFT/gauche
90-183	2-3/8(60)	24-1/8	31-1/8	RB192	STD/30	2/1		5-5/8	1/8 1/9 1/18
90-201	2-3/8(60)	24-1/8	31-1/8	RB192	RB192b	3/1		5-5/8	3/7 1/18 RIGHT
90-203	2-3/8(60)	24-1/8	31-1/8	RB192	RB192b	3/1		6-3/4	3/7 1/18 LEFT
90-197	2-3/8(60)	24-1/8	31-1/8	RB192	RB192b	3/1		4-1/8	2/7 1/8 1/18 RIGHT
90-199	2-3/8(60)	24-1/8	31-1/8	RB192	RB192b	3/1		4-3/4	2/7 1/8 1/18 LEFT

**TUNDRA(4WD)**

2007-2012

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 90-339	2-3/8(60)	31-3/8	32	RB311b	RB192	3/1WG		5-5/8	2/10 1/11 1/21 right hand
* 90-341	2-3/8(60)	31-3/8	32	RB311b	RB192	3/1WG		5-7/8	2/10 1/11 1/21 left/gauche
0 90-355	2-3/8(60)	31-3/8	32-1/8	RB311b	RB294	3/1WG		5-5/8	2/10 1/11 1/20
0 90-347	2-3/8(60)	31-3/8	32-1/8	RB311b	RB192	3/1		5-7/8	2/10 1/11 1/20
0 90-375	2-3/8(60)	31-3/8	32	RB311b	RB192	3/1WG		6	2/10 1/11 1/20
0 90-363	2-3/8(60)	31-3/8	32-1/8	RB311b	RB192	3/1WG		5-1/2	1/10 1/10.5 1/11 1/20
0 90-359	2-3/8(60)	31-3/8	32-1/8	RB311b	RB192	3/1		5-1/2	1/10 1/10.5 1/11 1/21
0 90-343	2-3/8(60)	31-3/8	32-1/8	RB311b	RB192	3/1WG		6	2/10 1/10.5 1/20
0 90-351	2-3/8(60)	31-3/8	32-1/8	RB311b	RB192	3/1		5-3/4	2/10 1/11 1/23

\* Standen's substitutes RB311 with RB192



**TUNDRA (2WD)(4WD)**

**2000-2006**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
90-279	2-3/8(60)	28-9/16	31-7/8	RB260	RB260	3/1		7-11/16	1/8 2/9 1/18
90-281	2-3/8(60)	28-9/16	31-7/8	RB260	RB260	3/1		7-15/16	1/8 2/9 1/18
90-321	2-3/8(60)	28-9/16	31-7/8	RB260	RB260	3/1		7-7/8	3/9 1/18
* 90-323	2-3/8(60)	28-9/16	31-7/8	RB260	RB260	3/1		8-1/8	3/9 1/18
90-207	2-3/8(60)	28-9/16	31-7/8	RB260	RB260	3/1		8-3/8	2/10 1/9 1/17
* 90-221	2-3/8(60)	28-9/16	31-7/8	RB260	RB260	3/1		8-7/8	3/9 1/18
90-311	2-3/8(60)	28-9/16	31-7/8	RB260	RB260	3/1/WG		8-7/8	3/9 1/18 WG
90-287	2-3/8(60)	28-9/16	31-7/8	RB260	RB260	3/1/WG		7-1/8	2/10 1/9 1/15
90-289	2-3/8(60)	28-9/16	31-7/8	RB260	RB260	3/1/WG		7-3/8	2/10 1/9 1/15

**LIGHT-DUTY SPRING  
T100 PICKUP (2WD)(4WD) ( HB-1004 )**

**1993-1998**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
90-143	2-3/8(60)	23-3/8	31-1/2	RB192b	RB192	2/1		6-3/4	1/9 1/10 1/14

**4 RUNNER REAR**

**1984-1988**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
90-119	2-3/8(60)	20-1/2	27	RB192	STD/30	PD/3/1		6-11/16	PD/4 3/6 1/14
90-137	2-3/8(60)	20-1/4	27	RB192	STD/30	4/1		5-5/8	1/7 3/6 1/14

**PICK UP (2WD)(4WD) REAR**

**1969-1984**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
90-121	2-3/8(60)	20-1/4	27	RB192	STD/30	PD/3/1		6-13/16	PD/6 1/7 2/6 1/14
* 90-115	2-3/8(60)	20-1/2	26-3/4	RB192	STD/30	3/1		6-11/16	3/6 1/14
90-113	2-3/8(60)	20-7/8	26-3/8	STD/30	STD/30	3/2		7-1/4	1/7 2/6 2/11
90-131	2-3/8(60)	22-1/2	29	RB192	STD/30	2/1		7-1/2	2/7 1/15
* 90-135	2-3/8(60)	22	29-1/4	RB192b	RB192	3/1		6-1/2	1/7 2/6 1/16
* 90-117	2-3/8(60)	22-1/16	29-1/8	RB192b	RB192	3/1		6-11/16	1/7 1/6 1/7 1/16

**LAND CRUISER 1 TON HD MINING TRUCK**

**1999-**


SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
* 90-229	2-3/4(70)	27-3/16	32	40 b	40 b	7/4		7	7/10 4/13
90-229HD	2-3/4(70)	27-3/16	32	40 b	40 b	7/4		7	3/12 4/11 4/13

**LAND CRUISER 2/4 DOOR REAR**

**1969-1987**

SRI	WIDTH	S.E	L.E	BUSH/SE	BUSH/LE	# LVS	CAP	ARCH	DIMENSION
90-101	2-3/4(70)	19-7/8	23-13/16	STD/25	STD/25	6		6-5/16	6/6
90-103	2-3/4(70)	19-7/8	23-13/16	STD/35	STD/35	6		6-5/16	6/6
90-105	2-3/4(70)	22-1/4	25-3/8	STD/35	STD/35	6		5-5/16	1/7 2/6 3/7 RIGHT


**RB Bushings Listing**



No_SRI	Type	A	B	C	D	E	APPLICATION
RB37	A	0.875	1.750	1.812	0.450		JEEP
RB57	A	1.020	2.500	2.875	0.500		DODGE
RB58	A	1.500	2.500	2.875	0.750		DODGE
RB60	A	2.000	2.500	3.125	0.625		DODGE
RB70	A	1.250	2.250	2.750	0.625		FORD
RB71	A	1.500	2.500	2.750	0.563		JEEP
RB81	A	1.250	2.500	2.875	0.625		DODGE
RB85	A	1.250	2.500	2.760	0.570		JEEP
RB91	A	1.500	2.500	3.125	0.625		DODGE
RB98	A	1.500	3.000	3.688	0.563		CHEV/GMC
RB101	A	1.281	2.500	2.750	0.625		FORD
RB102	A	1.250	3.000	3.375	0.563		FORD
RB111	A	1.500	2.500	2.875	0.625		FORD + DODGE
RB117	B	1.500	2.625	3.000	0.563	2.00	CHEV/GMC
RB124	A	1.281	2.500	2.875	0.625		FORD
RB130	A	2.000	2.375	2.750	0.570		CHEV/GMC
RB131	A	1.250	2.540	3.000	0.563		FORD
RB132	A	1.375	3.062	3.500	0.625		FORD
RB133	A	1.250	3.062	3.500	0.563		FORD
RB135	A	1.750	3.000	3.500	0.750		FORD
RB136	B	1.750	2.625	3.000	0.563	2.19	CHEV/GMC
RB138	A	1.750	2.500	2.750	0.563		JEEP
RB140	A	1.250	2.500	2.900	0.563		JEEP
RB142	A	0.875	1.750	2.050	0.437		JEEP
RB143	E	2 x 3	2.500	3.125	0.625		DODGE
RB144	A	1.500	2.000	2.875	0.563		JEEP
RB145	A	1.500	2.500	2.875	0.563		JEEP
RB148	A	1.625	3.000	3.375	0.625		FORD
RB149	A	1.375	3.000	3.375	0.563		FORD
RB151	A	1.500	3.000	3.500	0.625		FORD
RB152	A	1.375	3.062	3.500	0.563		FORD
RB153	A	2.000	2.500	2.875	0.563		JEEP
RB155	A	2.000	3.000	3.500	0.563		FORD
RB156	A	1.281	2.500	2.750	0.625		FORD
RB157	A	1.375	3.062	3.500	0.563		FORD
RB158	A	1.625	3.062	3.500	0.625		FORD + DODGE
RB159	A	1.625	2.500	3.000	0.563		FORD
RB160	A	1.250	2.500	3.000	0.563		FORD
RB163	A	2.500	2.500	3.188	0.563		JEEP
RB169	A	2.500	2.625	3.187	0.563		JEEP


No_SRI	Type	A	B	C	D	E	APPLICATION
RB198	C	37	77	90	18		FORD + CHEV
RB201	A	33	60	70	12		NISSAN
RB207	A	1.625	2.500	3.000	0.625		FORD
RB209	A	40	60	70	14		NISSAN
RB213	C	1.594	3.000	3.500	0.625		DODGE
RB214	C	1.594	3.000	3.500	0.563		DODGE
RB215	C	2.500	2.500	3.000	0.563		DODGE
RB216	C	1.688	2.500	3.000	0.563		DODGE
RB218	A	1.813	3.000	3.563	0.787		FORD + CHEV
RB219	A	1.813	3.000	3.563	0.630		FORD + CHEV
RB224	C	1.687	2.500	3.000	0.563		DODGE
RB227	B	2.000	3.125	3.500	0.709	2.38	FORD
RB231	B	2.000	2.625	3.000	0.563	2.38	CHEV/GMC
RB235	C	1.750	1.750	3.000	0.709		FORD
RB236	C	1.375	2.000	3.000	0.551		FORD
RB237	A	1.875	2.563	3.000	0.563		FORD
RB240	B	1.500	2.500	2.938	0.563	1.81	DODGE
RB241	B	1.500	2.500	2.938	0.563	1.81	DODGE
RB243	C	1.875	1.688	3.500	0.787		FORD
RB244	C	1.750	2.125	3.500	0.630		FORD
RB245	C	2.188	1.688	3.500	0.709		FORD
RB247	C	2.062	3.000	3.500	0.709		FORD
RB248	C	1.587	2.160	3.500	0.630		FORD
RB250	B	2.000	2.625	3.000	0.630		CHEV/GMC
RB252	A	40	60	70	14		NISSAN
RB255	B	38.3	66.8	76.3	14.3	51	CHEV/GMC
RB257	B	1.500	2.500	2.813	0.563	1.81	DODGE
RB260	B	40	30	37	14	58	TOYOTA
RB261	A	1.863	2.563	3.000	0.563		FORD
RB271	B	1.625	2.625	3.000	0.555		DODGE
RB272	B	2.000	2.750	3.000	0.555		DODGE
RB273	B	2.000	3.125	3.500	0.625	2.13	DODGE
RB274	A	1.860	2.500	3.000	0.625		FORD
RB275	D	1.811		3.500	0.750	2.20	FORD
RB276	D	1.339		3.500	0.560	1.77	FORD
RB277	D	49		80	12	55	DODGE
RB278	D	49		80	16	55	DODGE
RB279	D	40	78	80	16	45	DODGE
RB294	A	40	60	73	14		TOYOTA
RB296	D	1.880	2.930	3.000	0.630	2.21	FORD

**RB Bushings Listing**



No_SRI	Type	A	B	C	D	E	APPLICATION
RB170	A	1.500	2.500	3.250	0.563		JEEP
RB171	E	2 x 3	2.500	3.250	0.563		DODGE
RB172	B	1.687	2.625	3.000	0.563		CHEV/GMC
RB176	A	2.000	3.000	3.500	0.625		FORD
RB177	A	1.812	3.063	3.500	0.750		FORD
RB178	A	1.625	3.063	3.500	0.625		FORD
RB190	A	47	89	92	20		CHEV/GMC
RB191	A	52	74	77	22		CHEV/GMC
RB192	A	40	60	70	14		TOYOTA

No_SRI	Type	A	B	C	D	E	APPLICATION
RB297	I	1.281	1.250	3.000	0.563		FORD
RB302	A	2.250	4.000	4.250	0.810		NISSAN
RB309	I	1.750	2.812	3.500	65.000	2.06	FORD
RB310	I	1.812	2.812	3.500	0.780	2.13	FORD + DODGE
RB312	I	1.830	2.750	3.500	0.780	2.13	FORD
RB318	B	1.688	2.625	3.000	0.560	2.16	CHEV/GMC
RB319	B	2.000	2.625	3.000	0.625	2.39	CHEV/GMC
RB320	B	2.000	3.188	3.500	0.625		DODGE
RB326	B	1.503	1.5	1.75	0.585	2.07	FORD
RB329	A	2.180	2.62	3	0.78		CHEV/GMC
RB337	B	2.090	3.18	3.54	0.71	2.62	DODGE
RB339	B	2.000	3	3.5	18MM	2.40	CHEV/GMC
RB340	B	1.680	3	3.5	16MM	2.08	CHEV/GMC



No_SRI	Type	A	B	C	D	E	APPLICATION
HB889	B	1	1.25	1.688	0.563	1.13	DODGE + JEEP
HB998	B	1	1.063	1.5	0.5	1.25	JEEP
HB1002	A	1.25	1.125	1.438	0.625	1.63	FORD
HB1004	A	30	31	37	18	35	TOYOTA
HB1101	A	35	31	37	18	35	TOYOTA

No_SRI	Type	A	B	C	D	E	APPLICATION
M6-4033		40MM		60MM	33MM		NISSAN
		1.575"		2.362"	1.3"		

CHEV/GMC	Standens#	CHEV/GMC	Standens#	CHEV/GMC	Standens#
14000564	22-597	15599376	22-757	22132572	22-1165
14000564HD	22-597HD	15599380	22-442	22132573	22-1167
14007621	22-605	15604180	22-855	22132574	22-1269
14015741	22-607	15620356	22-793	22132574HD	22-1269HD
14015753	22-611	15620357	22-795	22132575	22-1171
14018677	22-605	15620358	22-797	22132577	22-1175
14024145	22-635	15620358HD	22-797HD	22132577BU	22-1175-BU
14029293	22-617	15620358XHD	22-797XHD	22132577-HD	22-1175-HD
14029293HD	22-617HD	15634976	22-875	22787766	22-1671
14032937	22-627	15636134	22-1009	22799636	22-1677
14032937	22-627	15636134	22-873	22799636	22-1685
14032945	22-613	15636134HD	22-1009HD	22799637	22-1679
14032953	22-615	15636134HD499	22-873HD-499	22861265	22-1689
14038806	22-699	15638995	22-492	22861267	22-1699
14040293	22-709	156401030#2	22-835-02	22861267	22-1701
14040294	22-719	15641026	22-827	22861268	22-1701
14060056	22-687	15641028#2	22-831-02	22861268	22-1705
14073376	22-735	15642471	22-859	25823546	22-1489
15033928	22-1221	15644917	22-909	25823546#2	22-1489-02-RPL
15033928HD	22-1221HD	15644918	22-905	25823547	22-1489
15035985	22-1253	15644919	22-907	25823547#2	22-1489-02-RPL
15035988	22-1257	15644919HD	22-907HD	25857966	22-1611
15063185	22-1289	15651679	22-857	25965051	22-1615
15063186	22-1289	15659390	22-801	25976356	22-1567
15087915	22-1363	15667761	22-901	25986741	22-1569
15137639	22-1417	15680283	22-911	25986742	22-1629
15137640	22-1419	15680346	22-937	25986747	22-1271
15137644	22-1449	15687350	22-943	326419	22-382
15148693	22-594	15689577	22-1017	326420	22-384
15153722	22-1259	15689578	22-1013	327261	22-483
15153861	22-1223	15697901	22-1183	327270	22-485
15153863	22-1261	15697901	22-1185	332842	22-489
15153865	22-1225	15705505	22-1029	332843	22-499
15153868	22-1265	15707516	22-1149	332908	22-989
15170999	22-1329	15707517	22-1151	337566	22-517
15225236	22-1475	15711753	22-1169	341296	22-402
15225240	22-1523	15741121	22-1195	341296#3	22-402-03
15225241	22-1483	15741121HD	22-1195-HD	341296HD	22-402-4L
15278386	22-1485	15746328	22-1271	349461	22-551
15529526	22-795	15746328 #2	22-1271-02-RPL	350481	22-525
15529528	22-797	15752842	22-1277	350726	22-531
15529528HD	22-797HD	15753805	22-1327	357246	22-547
15529528XHD	22-797XHD	15758988	22-1325	357246HD	22-547HD
15529585	22-801	158959991	22-1489	363915	22-408
15548461	22-793	158959991#2	22-1489-02-RPL	378402	22-447
15565044	22-462	15953429	22-1007	378403	22-449
15565045	22-464	15996780	22-1137	379305	22-553
15565393	22-811	15996781	22-1139	3941764	22-403
15567937	22-801	20909354	22-1649	3955572	22-419
15597986	22-1001	20909354HD	22-1649HD	3970984	22-433
15597986KIT	22-1001K	20909355	22-1653	468441	22-583
15599375	22-761	20909355HD	22-1653HD	468456	22-989

CHEV/GMC	Standens#	DODGE	Standens#	SPRINTER	Standens#
471650	22-579	52038806	34-1327	9033202706-HD	46-1339HD
471888	22-603	52039086	34-1349	9043201606	46-1343
471888HD	22-603HD	52039122	34-1329	9043200501	46-1712
472616	22-577	52039181	34-1369	A9063200206	46-1421
472633	22-577	52039224	34-1335	A9063203206	46-1425
5238044	22-1497	52039226	34-1339	9063202506	46-1427
6259349	22-493	52039226-HD	34-1339HD	9063203906	46-1427
6260625	22-400	52039227	34-1341	05175102AA	46-1712
62622584	22-447	52039228	34-1343		
6262590	22-449	52039229	34-1345	<b>FORD</b>	<b>Standens#</b>
6263950	22-459	52039229-HD	34-1345HD	BC3Z-5560-E	43-1855
6270200	22-467	52039325	34-1337	BC3Z-5560-G	43-1849
6271495	22-989	52106009	34-1359	BC345A975LB	43-1853
93356455	22-1613	52106364	34-1427	BC345A975LD	43-1853
94729600	22-1635	52106830	34-1481	BC375560E	43-1853
		52106153AB	34-1375	CL3V-5560-KB	43-1947
<b>DODGE</b>	<b>Standens#</b>	52106153AB-HD	34-1375-RB11	CL34-5560-AC	43-1945
2961013	34-053	52106154AB	34-1377	CL34-5560-DB	43-1917
2961017	34-055	52106325AC	34-1405	CL34-5560-ED	43-1919
3496670	34-075	52106361AA	34-1421	CL34-5560-JC	43-1949
3638149	34-121	52106363AA	34-1425	C6TZ5560F	43-469
3638150	34-105	52106364AA	34-1427	C7TZ5560G	43-485
3638595	34-123	52106765AE	34-1479	DC3Z-5560-A	43-1749
3736966	34-151	52113141AD	34-1451	DC3Z-5560-A	43-1959
3821852	34-774	52113141AD-HD	34-1451HD	DC3Z-5560-F	43-1867
3823868	34-153	52113319AD	34-1459	DC3Z-5560-F	43-1869
3828910	34-768	52113319AD	34-1461	DC345A975DA	43-1959
3897281	34-163	52113320AE	34-1465	DL3Z-5560-A	43-1943
3897284	34-173	52113320AE-HD	34-1465HD	DL3Z-5560-B	43-1931
3897285	34-175	52113514AD	34-1455	DL3Z-5560-D	43-1941
4030456	34-183	52121553AA	34-1537	DL3Z-5560-E	43-1933
4036774	34-191	52121553AC	34-1537	DL3Z-5560-C	43-1953
4036972	34-201	5212155AB	34-1537	D3TZ5310H	43-414
4089144	34-213	52121707	34-1589	D3TZ5560B	43-559
4115480	34-207	52855121	34-1501	D3TZ5560C	43-569
4147685	34-219	52855133	34-1503	D3TZ5560D	43-571
4228216	33-373	52855615	34-1543	D5UA5560ASB	43-599
4228434	34-251	52855616	34-1551	D5UA5560ATA	43-609
4228585	33-385	52855616	34-1549	D5UA5560KB	43-615
4228716	34-263	52855616-HD	34-1549HD	D5UA5560ATB	43-609
4420416	33-389	52855617AF	34-1621	D5UA5560LB	43-621
4670447	34-1647	68049049AB	34-1659	D5UZ5560S	43-599
04670447AA	34-1647			D5UA5560ATB	43-609
4670950	34-1633	<b>DODGE SPRINTER</b>	<b>Standens#</b>	D5UZ5560D	43-615
04670950AA	34-1633	05128488AA	46-1339	D5UZ5560E	43-621
04670950AA-HD	34-1633HD	05128488AA-HD	46-1339HD	D5UZ5560F	43-623
4670950-HD	34-1633HD	05118621AA	46-1343	D5UZ5560F-HD	43-623-HD
52037755	34-1305	05118621AA-HD	46-1343HD	D5UZ5560G	43-617
52038044	34-798	05118621AA-BU	46-1343BU	D5UZ5560R	43-619
52038460	34-1321	9043201606-BU	46-1343BU	D5UZ5560T	43-609
52038769	34-1313	9043201606-HD	46-1343HD	D6UZ5560F	43-885
52038770	34-1315	9033202706	46-1339	D6UZ5560F	43-631




<b>FORD</b>	<b>Standens#</b>	<b>FORD</b>	<b>Standens#</b>	<b>FORD</b>	<b>Standens#</b>
D7UA5560TA	43-659	E3TZ5560M	43-803	F2UA5560HE	43-1041
D7UA5560TA-BU	43-659-BU	E3TZ5560S	43-809	F2UA5560HE-HD	43-1041-HD
D8TA5310GA	43-464	E3TZ5560S-HD	43-809HD	F2UA5560GE	43-1039
D8TA5560DB	42-787	E4TA5560AA	43-817	F2UA5560JE	43-1043
D8TA5560ZA	43-623	E4TZ5560B	42-817	F2UA5560JE-BU	43-1043-BU
D8TA5560ZA-HD	43-623-HD	E4TZ5560C	43-817	F2UA5560KE	43-1045
D8UZ5560A	43-659	E47A5560CA	42-817	F2UA5560KE-BU	43-1045-BU
D8UZ5560A-BU	43-659-BU	E4TZ5560D	43-839	F2UZ5560A	43-1033
D8UZ5560A	43-567	E5TA5310TA	43-536	F2UZ5560C	43-1037
D8TZ5310D	43-464	E5TZ5310M	43-536	F2UZ5560D	43-1039
D8TZ5560B	42-787	E67A5560HA	42-819	F2UZ5560E	43-1041
D9TA5560AYA	43-885	E67A5560DB-HD	43-853HD-5	F2UZ5560E-HD	43-1041-HD
E0TA5310ABA	43-476	E6TZ5560C-HD	43-853HD-5	F2UZ5560F	43-1043
E0TA5310ABB	43-476	E6TZ5560E	42-819	F2UZ5560F-BU	43-1043-BU
E0TA5310ABA-BU	43-476-BU	E6TZ5560F	42-821	F2UZ5560G	43-1045
E0TA5310ABB-BU	43-476-BU	E67A5560JA	42-821	F2UZ5560G-BU	43-1045-BU
E0TA5310ACA	43-478	E7TA5560FA	43-879	F2UZ5560H	43-1031
E0TA5560AZB	42-813	E7TA5560KA	43-881	F3UA5560MA	43-1085
E0TA5560BLB	43-723	E7TA5560NA	43-883	F3UA5560MA-HD	43-1085-HD
E0TA5560BVA	43-791	E7TA5560RA	43-891	F3UA5560MA-SHD	43-1085-SHD
E0TZ5310R-BU	43-476-BU	E7TZ5560A	43-879	F3UZ5560A	43-1085
E0TZ5310R	43-476	E7TZ5560B	43-881	F3UZ5560A-HD	43-1085-HD
E0TZ5560AE	43-791	E7TZ5560C	43-883	F3UZ5560A-SHD	43-1085-SHD
E0TZ5560B	43-689	E7TZ5560D	43-891	F37A5560BB	43-1069
E0TZ5560C	43-691	F75Z5560BA	43-1229	F37Z5560A	43-1069
E0TZ5560D	43-693	E8TA5310AA	43-526	F4TA5310HA	43-630
E0TZ5560E	43-695	E8TA5310AA-BU	43-526-BU	F4TZ5310F	43-674
E0TZ5560G	43-699	E8TZ5310A	43-526	F5TA5310CA	43-678
E0TZ5560H	43-701	E8TZ5310A-BU	43-526-BU	F5TZ5310B	43-678
E0TZ5560K	42-813	E8TZ5560A	43-901	F81A55310AHD	43-768
E0TZ5560M	43-709	E8TZ5560A	43-903	F81A5310ACD	43-770
E0TZ5560N	43-711	E9TA5560KA	43-965	F81Z5310AB	43-770
E0TZ5560V	43-721	E9TZ5560H	43-945	F81Z5310AG	43-768
E0TZ5560V-HD	43-721-HD	E9TZ5560J	43-965	E2TZ5560D	43-771
E0TZ5560Y	43-723	E97A5560JA	43-945	E2TZ5560F	43-775
E0TZ5588C	43-731	F1TA5310ALA	43-498	F81A5310AFD	43-776
E1TA5560TA	43-723	F1TA5310ALA-BU	43-498BU	F81A5310AFD-BU	43-776BU
E1TA5560ALA	43-779	F1TA5310ALA-HD	43-498HD	F81Z5310AE	43-776
E2TA5560CA	43-781	F1TA5310ARA	43-536	F81Z5310AE-BU	43-776BU
E2TA5560UA	43-689	F17A5560DC	43-967	F4HZ5560A	43-1225
E2TZ5560B	43-767	F17A5560DC	43-967	F4TA5560LA	43-1101
E2TZ5560G	43-777	F1TZ5560A	43-967	F4TA5560TA	43-1121
E2TZ5560H	43-779	F17A5560ED	43-969	F4TZ5560J	43-1101
E3TA5310ABA	43-498	F1TZ5560B	43-969	F5TZ5560D	43-1121
E3TA5310ABA-BU	43-498BU	F2HT5560TA	43-1225	F5UZ5560B	43-1153
E3TA5310ABA-HD	43-498HD	F2TA5560VB	43-1055	F5UA5560PA	43-1153
E3TA5560YA	43-809	F2TZ5560G	43-1055	F5UA5560SB	43-1157
E3TA5560YA-HD	43-809HD	F2TA5560PA	43-1057	F5UZ5560D	43-1157
E3TZ5560G	43-781	F2TZ5560B	43-1057	F57A5560FD	43-1159
E3TZ5310R-BU	43-498BU	F2UA5560AB	43-1031	F57A5560HC	43-1161
E3TZ5310R-HD	43-498HD	F2UA5560CA	43-1033	F57A5560LC	43-1183
E3TZ5310R	43-498	F2UA5560FE	43-1037	F57Z5560A	43-1159



<b>FORD</b>	<b>Standens#</b>	<b>FORD</b>	<b>Standens#</b>	<b>FORD</b>	<b>Standens#</b>
F57Z5560B	43-1161	YC3Z5310AN-HDL	43-818HD	7C3Z5560GA	43-1699
F57Z5560LC	43-1183	YC3Z5310AN-HDL	43-818HDL	7C3Z5560J	43-1717
F6U5560AB	43-1167	YC355310ADC	43-818	7C3Z5560L	43-1685
F6UZ5560AA	43-1167	YC355310ADC-HDL	43-818HD	7C3Z5560L-HD	43-1685HD
F6U5560AB-BU	43-1167-BU	YC355310ADC-HDL	43-818HDL	7C3Z5560L-XHD	43-1685XHD
F6UZ5560AA-BU	43-1167-BU	YC355310ALC	43-812	7C345A975DF	43-1705
F65A5560AD	43-1185	YC355310ANC	43-816	7C345A975GB	43-1699
F65A5560NB	43-1199	YC355560EA	43-1327	7C345A975JE	43-1717
F65A5560NB-HD	43-1199HD	1L2Z5560AA	43-1385	7C345A975LC	43-1685
F65Z5560AC	43-1185	1L245560AC	43-1385	7C345A975LC-HD	43-1685HD
F75A5560CG	43-1231	1L5Z5560BA	43-1389	7C345A975LC-XHD	43-1685XHD
F75A5560DG	43-1233	1L5Z5560EA	43-1395	7C345560DF	43-1705
F75Z5560CB	43-1231	1L545560BE	43-1389	7C345560FG	43-1681
F75Z5560DB	43-1233	1L545560ED	43-1395	7C345560GB	43-1699
F81A5560AA	43-1287	2L345560HA	43-1351	7C345560JE	43-1717
F81A5560AC	43-1285	2L345560GA	43-1553	7C345560LC	43-1685
F81A5560AC-HD	43-1285HD-447	3L2Z5560AB	43-1355	7C345560LC-HD	43-1685HD
F81A5560BD	43-1289	3L245560AC	43-1355	7C345560LC-XHD	43-1685XHD
F81A5560BD-HD	43-1289HD	3L245560AC	43-1555	8C2Z5560C	43-1763
F81A5560BE	43-1261	4L245560BA	43-1549	8C2Z5560CB	43-1793
F81A5560BE-HD	43-1261-HD	4L2Z5560AA	43-1549	8C2Z-5560-RB	43-1795
F81A5560CD	43-1263	4L3Z5560MB	43-1359	8C2Z-5560-SB	43-1797
F81A5560CD-HD	43-1263-HD	4L3Z5560RB	43-1361	8C2Z5560V	43-1769
F81A5560DB	43-1265	4L3Z5560RB-HD	43-1361HD	8C2Z5560VE	43-1799
F81A5560DB-HD	43-1265HD	4L345560LH	43-1551	8C245560CA	43-1763
F81A5560EB	43-1267	4L5Z5560EA	43-1503	8C245560CB	43-1793
F81Z5560AA	43-1285	4L5Z5560EB	43-1505	8C245560RB	43-1795
F81Z5560AA	43-1287	4L545560EA	43-1503	8C245560SB	43-1797
F81Z5560AA-HD	43-1285HD-447	4L545560EB	43-1505	8C245560VD	43-1769
F81Z5560BA	43-1261	5C2Z5560A	43-1665	8C245560VE	43-1799
F81Z5560BA-HD	43-1261-HD	5C2Z5560PA	43-1667	9C3Z-5560-AA	43-1803
F81Z5560B	43-1291	5C245560AA	43-1665	9C345A975AA	43-1803
F81Z5560BB	43-1289	5C245560PA	43-1667	9L3Z5560A	43-1781
F81Z5560BB	43-1289	5C3A5560CA	43-1517	9L3Z5560G	43-1787
F81Z5560BB-HD	43-1289HD	5C3Z5560HG	43-1605	9L3Z5560G-HD	43-1787HD
F81Z5560CA	43-1263	5C345A675CE	43-1517	9L345560AD	43-1781
F81Z5560CA-HE	43-1263-HD	5C345A975HG	43-1605	9L345560AE	43-1781
F81Z5560DA	43-1265	5C345560CE	43-1517	9L345560GA	43-1787
F81Z5560DA-HD	43-1265HD	6C3Z5560BB	43-1749	9L345560GA-HD	43-1787HD
F81Z5560EA	43-1267	5C345560HG	43-1605		
F81Z5588CA	43-1279	6C3Z5560BB	43-1747	<b>ISUZU</b>	
F85A5560BA	43-1297	6C3Z5560BB-HD	43-1747-HD	8943608011	56-147
F85Z5560BA	43-1297	6C345A975BB	43-1747		
XL3Z5560CA	43-1293	6C345560BB	43-1747	<b>MAZDA</b>	
XL345560CA	43-1293	6C345A975BB-HD	43-1747-HD	UC8628010A	63-201
YC2Z5560AA	43-1339	6C345560BB-HD	43-1747-HD	UCB8628010A	63-201
YC2Z5560AA-HD	43-1339-HD	6C345560BB	43-1749		
YC25560AA-HD	43-1339-HD	6C345A975BB	43-1749		
YC3Z5310AK	43-812	6L3Z5560RB	43-1679		
YC3Z5310AM	43-816	6L345560RD	43-1679		
YC3Z5560EA	43-1327	7C3Z5560DB	43-1705		
YC3Z5310AN	43-818	7C3Z5560FD	43-1681		

<b>ISUZU</b>	<b>Standens#</b>	<b>TOYOTA</b>	<b>Standens#</b>	<b>JEEP</b>	<b>Standens#</b>
8943608011	56-147	482100C210	90-339	5353462	97-344
		482100C240	90-240	5353466	97-360
<b>MAZDA</b>		482100C250	90-355	5354890	97-364
UC8628010A	63-201	482100C280	90-359	5354893	97-469
UCB8628010A	63-201	482100C300	90-363	5355066	97-455
		482100C350	90-375	5355460	97-457
<b>NISSAN</b>		4821004051	90-153	5355576	97-459
F4XA5560BA	66-335	4821004080	90-171	5355580	97-467
F4XA5560BB	66-335	4821004110	90-197	5356787	97-372
F4XY5560B	66-335	4821004110A	90-197	5358798	97-380
55020-EA00B	69-335	4821004180A	90-201	5358943	97-485
55020-EA20A	69-293	4821004330	90-235	5359023	97-382
55020-EB00A	69-303	4821004380	90-293	5362955	97-491
55020-EB000	69-283	4821004550	90-297	5363330	97-495
55020-EB015	69-289	4821004550-HD	90-297HD	5363331	97-503
55020-EB10A	69-307	4821004560	90-453	5364155	97-519
55020-EB15A	69-309	4821034070	90-143	5364156	97-517
55020-ZR02A	69-315	4821034070A	90-143	8952002350	97-555
55020-ZR42D	69-333	4821035180	90-113	8952002390	97-545
55020-ZR02C	69-317	4821035341	90-121	8952002392	97-547
55020-ZR42A	69-327	4821035420	90-137	8952003206	97-440
55020-ZR42B	69-329	4821035460	90-115	8952003209	97-565
55020-ZR42C	69-331	4821035490	90-119	8952003448	97-442
55020-4S100	69-255	4821035700	90-122	8952003449	97-567
55020-7S20A	69-297	4821035700	90-122	908558	97-305
55020-7S201	69-261	4821035700	90-135	911728	97-210
55020-7S40A	69-299	4821035701	90-135	916044	97-210
55020-7S401	69-263	4821035770	90-117	916047	97-305
55020-7S41A	69-301	4821035810	90-131	936941	97-369
55020-7S411	69-265	4821060120	90-101	937506	97-369
55020-7Z101	69-257	4821060121	90-103	999525	97-302
55020-8Z400	69-269	4821060280	90-105	999526	97-344
55020-8Z600	69-271	48220AD020	90-273	999528	97-302
55020-8Z900	69-275	482200C020	90-281	52002350	97-555
55020-9Z501	69-277	482200C050	90-323	52002390	97-545
		482200C070	90-311	52002392	97-547
<b>TOYOTA</b>		482200C080	90-289	52003206	97-440
4811035030	90-114	482200C210	90-341	52003209	97-565
4811035101	90-122	4822004020	90-155	52003448	97-442
4811060060	90-102	4822004030	90-173	52003449	97-567
4811060061	90-104	4822004050	90-199	5256426	97-481
4811060062	90-106	4822004070	90-203	5353338	97-362
4811060170	90-112	4822004130	90-237		
4811060411	90-128	4822004170	90-295		
48210AD020	90-271	4822004190	90-299		
482100C010	90-207	4822004190-HD	90-299HD		
482100C020	90-279	4822004200	90-455		
482100C040	90-221	4822004040A	90-183		
482100C050	90-321	4822004050A	90-199		
482100C080	90-287	4822060100	90-229		
482100C131	90-343	4822060100-HD	90-229HD		
482100C140	90-347	5821004051	90-153		


**SPRING SHACKLES**




**TYPE 1**



**TYPE 2**




**TYPE 3**



**TYPE 4**

Part#	Yr.	Make	Model		A	B	C	D	E	
M1748	02-12	Dodge	Ram 1500 2/4WD (E-0751)	R	1	.57	.57	3	4.75	
M1748	03-14	Dodge	Ram 2500 3500 2/4WD (E-0751)	R	1	.57	.57	3	4.75	
M1793	94-01	Dodge	Ram 1994-2001 (2.5" wide spring) 9/16" Bolts	R	1	9/16	9/16	2.5	3	4.75
M1795	94-01	Dodge	Ram 1994-2001 (3" wide spring) 5/8" Bolts	R	1	5/8	5/8	3	3.5	4.75
M2255	08-13	Dodge	Ram DM 4500/5500 4x2 52855648AD	R	1	16mm	18mm	3.94	3.58	4.72
M1748	10-11	Dodge	Dodge Dakota /Nitro 2/4WD (E-0751)	R	1	.57	.57	3	4.75	
M1798	00-09	Dodge	Dakota	R	1	3/4	3/4	2.875	2.875	4
M1796	98-03	Dodge	Durango (2.5 wide spring)	R	1	14mm	14mm	3	3.05	3.5
M1745	87-93	Dodge	Pickup (2.5 wide spring) Shackle	R	1	1/2	1/2	2.875	2.875	4
M1743	73-93	Dodge	Pickup (2.5 wide spring) Shackle	R	1	5/8	5/8	2.875	2.875	4
M1749	84-93	Dodge	Pickup (2.5" wide spring)	R	1	3/4	3/4	2.875	2.875	4
M1798	00-03	Dodge	Van (2.5 wide spring)	R	1	9/16	9/16	2.96	3.074	4
MS121	00-06	SPRINTER	2500	R	1	.48	.48		3.16	
MS122	00-06	SPRINTER	3500	R	1	.640	.944	3.158	3.198	4.375
Part#	Yr.	Make	Model		A	B	C	D	E	
M1923	09-14	Ford	F150 / Mark LT 2WD 4WD	R	1	9/16	9/16	2.915	3.8	4.5
M1921	04-08	Ford	F150 / Mark LT	R	1	5/8	5/8	3	3.585	4.5
E-0739	98-06	Ford		R	1	9/16	9/16	3	3.125	4.5
E-0739	73-06	Ford	F150 2WD (2-1/2" wide) Shackle M1724	R	1	9/16	9/16	3	3.125	4.5
E-0770	82-87	Ford	F100 F150 (2-1/2 wide) M1786	R	1	5/8	1.25	2.5	3	4.5
E-0741	73-98	Ford	F150, F250, F350 (3" wide) M1728	R	1	9/16	9/16	3.5	3.5	4.375
M1925	08-14	Ford	F250SD/F350SD	R	1	5/8	5/8	3.5	3.625	4.5
E-0836	99-07	Ford	F250/350 SD M1918	R	1	16mm	16mm	3.5	3.5	4.5
M1731	99-11	Ford	F250/350/450/550 Super Duty FRONT SPG	F	4				3.75	5
E-0739	97-02	Ford	F250 2WD/4WD (under 8500 GVW) M1724	R	1	9/16	9/16	3	3.125	4.5
E-0756	80-98	Ford	F250/350 4x4 Shackle M1758	F	1	9/16	5/8	1.813	3.625	4.875
E-0740	73-79	Ford	F250/F350 2/1/4 wide spring M1726	R	1	5/8	9/16	2.75	2.75	4
E-0742	80-97	Ford	F350 (2-1/4" wide) Shackle M1730	R	1	5/8	5/8	2.75	2.75	4
E-0757	97-98	Ford	F450 M1760	R	1	16mm	16mm	3.5	3.625	4.5
E-0757	92-98	Ford	F550 M1760	R	1	16mm	16mm	3.5	3.625	4.5
E-0741	75-14	Ford	E150, E250, E350SD E450SD (3" wide) M1728	R	1	9/16	9/16	3.5	3.5	4.375
E-0739	75-93	Ford	E100/150 Shackle M1724	R	1	9/16	9/16	3	3.125	4.5
E-0836	02-03	Ford	E550SD M1918	R	1	16mm	16mm	3.5	3.5	4.5
M1731	00-06	Ford	Excursion 4WD	F	4				3.75	5
M1729	91-05	Ford	91-05 Explorer. 91-94 Mountaineer Kit	R	4				3.25	5.49
M1919	09-11	Ford	Ranger	R	1	9/16	9/16	3	3.25	4.5
E-0739	83-08	Ford	Ranger and Bronco II Shackle M1724	R	1	9/16	9/16	3	3.125	4.5


**SPRING SHACKLES**




**TYPE 1**



**TYPE 2**



**TYPE 3**



**TYPE 4**

Part#	Yr.	Make	Model		A	B	C	D	E
M1753	07-13	GM	Silverado/Suburban/Avalanche C/K 1500/2500/3500	R 1	9/16	9/16	3	3	4.375
E-0831	88-06	GM	Silverado/Suburban/Avalanche C/K 1500/2500/3500	R 1	9/16	9/16	3	3	4.375
M22942	99-12	GM	Silverado 2500HD 3500HD	R 1	.590	.590	2.88	3.118	3.928
M2275	85-02	GM	Astro & Safari Van	R 1	9/16	1/2	4.5	3.2	4.415
E-0691	69-00	GM	Blazer/Jimmy/Suburban/P30 M1628	R 1	5/8	5/8	3	3.125	4.312
M1755	82-05	GM	GM/Chev S-10 PICKUP Jimmy/Blazer	R 4				?	4
CS-404	88-91	GM	Blazer/Jimmy/Suburban V30 V3500 4WD MCS1054	F 2					4.5
M1762	04-12	GM	Canyon/Colorado	R 4					3.5
E-0434	69-00	GM	C20/C30/K1500/K2500, Blazer Jimmy Suburban M1114	R 1	9/16	9/16	3	3.125	4
E-0747	67-72	GM	C1500, C2500 (2-1/4) Shackle M1740	R 1	9/16	9/16	2.75	2.875	4.625
E-0757	91-00	GM	C3500HD M1760	R 1	16mm	16mm	3.5	3.625	4.5
E-0747	71-91	GM	G1500, G2500, G3500 w/round U-bolts M1740	R 1	9/16	9/16	2.75	2.875	4.625
M1629	73-93	GM	G30/3500 w/square U-bolts Shackle	R 1	9/16	9/16	3	3.125	4.312
E-0831	91-00	GM	C3500HD G3500HD FRT SPG SHACKLE	F 1	9/16	9/16	3	3	4.375
E-0831	92-14	GM	G SERIES G1500/2500/3500 SAVANA/EXPRESS	R 1	9/16	9/16	3	3	4.375
M1762	06-10	GM	Hummer H3	R 4					3.5
M1783	98-99	GM	P30	R 1	20mm	20mm	90mm	99mm	100mm
Part#	Yr.	Make	Model		A	B	C	D	E
M1809	03-11	NISSAN	TITAN	R 1	.562		2.35	2.803	4.5
MU27065	89-10	NISSAN	1800/200 89-98 18CS, 18HD 2000 99-10	R 1	27.9mm	27.9mm	2.76	2.76	3.46
MU27065	89-10	NISSAN	2300 89-94 23DH, 23LP 95-10	R 1	27.9mm	27.9mm	2.76	2.76	3.46
55220EB000	05-14	NISSAN	FRONTIER 2WD 4WD 55220EB000+55221EB000	R 3	FOR REFERENCE - NOT YET AVAILABLE				
55220EB000	05-14	NISSAN	XTERRA 2WD 4WD 55220EB000+55221EB000	R 3	FOR REFERENCE - NOT YET AVAILABLE				
552207Z001	00-04	NISSAN	FRONTIER/XTERRA 2WD 4WD	R 3	FOR REFERENCE - NOT YET AVAILABLE				
Part#	Yr.	Make	Model		A	B	C	D	E
TS010	05-11	TOYOTA	TACOMA 2WD 4WD	R 1	14.5mm	14.5mm	2.87	2.95	3.31
TS005	95-04	TOYOTA	TACOMA 4WD	R 3	14mm	18mm			3.35
TS008	07-11	TOYOTA	TUNDRA 2WD 4WD	R 3	14mm	14mm			4.72
TS009	00-06	TOYOTA	TUNDRA	R 1	14mm	14mm	2.88	2.985	3.928
TS006	93-98	TOYOTA	T100 2WD/4WD	R 3	18mm	18mm			4.72
TS007	93-96	TOYOTA	T100 4WD - rent a car package	R 3	18mm	18mm			4.72

MAKE	STANDENS#	OEM#	MAKE	STANDENS#	OEM#
Dodge	M1743	2909367	GM	E-0434	14022597
Dodge	M1749	3496094	GM	M1755	14045081
Dodge	M1745	4228468	GM	E-0831	15049656
Dodge	M1743	4228469	GM	E-0831	15075657
Dodge	M1793	52038663	GM	M1762	15166223
Dodge	M1795	52038664	GM	M1753	15260549
Dodge	M1795	52038664AB	GM	E-0691	154654391
Dodge	M1798	52039204AN	GM	E-0831	15529599
Dodge	M1798	52039204AN	GM	M1629	15538377
Dodge	M1796	52039315AB	GM	CS-404	15576190
Dodge	M1793	52039479AA	GM	M1783	15587778
Dodge	M1748	52113520AA	GM	E-0757	15629105
Dodge	M2255	52855648AD	GM	E-0747	15631322
			GM	E-0831	15640442
Ford	M1923	BL3Z5776A	GM	M1755	15665302
Ford	E-0836	C3Z5776BA	GM	M2275	15707588
Ford	E-0740	C7TZ5776A	GM	M22942	15931942
Ford	E-0739	D3TZ5776A	GM	E-0691	15960122
Ford	E-0741	D3TZ5776B	GM	M1753	15981732
Ford	E-0756	E0TZ5K316A	GM	USE E-0831	22820716
Ford	E-0741	E0TZ5776A	GM	M1753	25747409
Ford	E-0742	E0TZ5776B	GM	E-0831	25812937
Ford	E-0770	E2TZ5776A	GM	E-0831	25824312
Ford	E-0739	E3TZ5776A	GM	E-0831	3941665
Ford	E-0770	E47A5778AB			
Ford	E-0756	E5TZ5K316A	Nissan	M1809	552207S201
Ford	E-0739	E6TZ5776A	Nissan	M1809	55220ZR00A
Ford	E-0739	E6TZ5776B	Nissan	M1809	55220ZR00B
Ford	E-0757	E8TZ5776A	Nissan	MU27065	
Ford	E-0756	E8TZ5K316A			
Ford	M1919	F65Z5776DB	Toyota	TS005	448304040
Ford	E-0836	F81Z5776CA	Toyota	TS005	448304060
Ford	M1731	F81Z5B311AA	Toyota	TS010	448304080
Ford	M1731	F81Z5B311AA	Toyota	TS006	448334010
Ford	M1729	F87Z5776AA	Toyota	TS007	448334020
Ford	E-0836	1C3Z5776BA	Toyota	TS010	4804204020
Ford	E-0836	3C3Z5776AB	Toyota	TS009	004830C010
Ford	M1921	4L3Z5776AA	Toyota	TS009	044830C030
Ford	M1925	7C3Z5776B	Toyota	TS008	044830C040
Ford	M1923	9L3Z5776B	Toyota	TS009	480420C011



**POPULAR HANGER  
APPLICATIONS (IN PROCESS)**